




PFX1300 motor assembly



ref#	order	description	each
1	PF1750	1750 watt inline heater, PFX1300H, HP, HDX	253.73
	PF2000	2000 watt inline heater, PFX1300HHF, HPHF	262.00
2	PX13	gasket, foam, 5.5" od x 1.75"	4.20
3	PX98	mounting plate, motor/pump/htr	24.50
4	J1003GC	vac tube	3.08
4A	J1003GC	second vac tube, HF models	3.08
5	PX129	1/4" npt pipe plug PFX1300	.52
6	PX135	pigtail, PFX1300HP	15.99
7	PX23G	27" solution hose with no ends	2.94
8	PX99A	36" heat pulse hose w/mnpt&	15.81
9	PX99B	hose, high pressure/temp	10.48
10	X8284	8-32 x 3/8" phph, type f	.11
11	X8259	washer, flat #8	.05
12	PX42	clamp 5/8"	1.06
13	1942	lamb 6474-37 hrn 2st b/b 9.9a	80.67
	1942-IE	motor, vac, PFX1300E	52.43
	1989	220V vacuum motor	89.04
	1995	lamb 6472-13, HF models	99.29
14	SF814	Shurflo pump 100 p.s.i., PFX1300, H	*
	FJ2030X	Flo-jet pump 100 p.s.i., PFX1300E	99.12
	PT400	200 p.s.i. pump, PFX1300HP	180.60
	PT400-KIT3	400 p.s.i. pump assembly	394.81
15	J1003GC	exhaust, hose, flexible, 2" id x 14"	3.08
	7GR032	exhaust fitting, plastic, for HF models	1.60
	7GR037	exhaust coupling, for HF models	1.45
	7GF006	exhaust gasket, for HF models	.75
	7CW002	exhaust screws, 4 for HF models	.10

ref#	order	description	each
16	PX215	clamp, hose, 2-1/2", ss	.85
17	PX85	fitting, 1/4" mnpt x 3/8" hose	2.00
18	PC20	reducer 3/8" to 1/4"	*
19	PC49	1/4" 90° elbow	1.38
20	X8233	bolt, hex, 1/4-20 x 3-1/2"	.14
21	X8289	1/4-20 x 6-1/2" all thread	.78
22	X8213	nut, hex, 1/4-20	.31
23	X8211S	1/4-20 x 1" serrated hex self	.23
24	X8237	nut, 1/4-20, lock, nylon insrt	.06
25	X8287	8-32 x 5/8" phph machine screw	.11
26	X8298	8-32 x 3/4" phph	.11
27	X8256	8-32 keep nut	.11
NOT ILLUSTRATED			
	PT11	400 p.s.i. guage bottom nipple	15.91
	PT203	400 p.s.i. guage back nipple	24.30
	PX301	regulator for PT200K	11.12
	PX140	filler hose	6.14
	UZ109	carbon brush, Imperial motor	*
	PT400H	priming hose	8.86
	PX117A	0-300 p.s.i. guage 2-1/2	12.18
	PX117	0-300 p.s.i. guage 1-1/2	15.37
	PX303	inline filter, complete	14.83
	PT202	400 p.s.i. regulator	31.92
	PT401	200 p.s.i. regulator	25.45
	PT4	rebuild kit for 200 p.s.i. regulator	10.95


PFX1300 upper housing assembly



ref#	order	description	each
1	PC38	connector double thread female	1.44
2	PX32	fitting, brass, close nipple	2.03
3	PX42	clamp 5/8"	1.06
4	PX85	fitting, 1/4" mnpt x 3/8" hose	2.00
5	PX112	pigtail, black	2.63
6	PX112R	pigtail, red	2.63
7	PX10	valve, drain, 1-1/2"	*
8	PX103	lid, screw-in	13.59
9	PX103G	gasket, lid	1.12
10	PX104	latch assembly	10.58
11	PX109	pin, hinge	1.44
12	PX88	grommet, 1/4"	.45
13	X8226	1/4-20 x 1-1/4" hex head cap screw	.11
14	X8235A	washer, flat	.10
15	X8238	screw, 6-32 x 3/8"	.13
16	X8253	screw, 6-32 x 1"	.11
17	X8257	nut, lock w/nylon insert	.11
18	X8278	8-32 x 1/2" phph, black oxide	.11
19	X8282	1/4-20 x 1" hex head cap screw	.16
20	X8283	washer, flat 1/4" s/s	.08
21a	PX100	housing, base, black	104.80
21b	PX101	housing, solution tank, black	93.77
21c	PX102	housing, recovery tank, blue	102.59
22	PX105H	switch panel	8.19

ref#	order	description	each
23	PX87	switch, rocker, w/protective cover	4.12
24	X8102	light with lens	2.86
25	PX86	indicator light green	2.78
26	PX106A	wheel, 10" w/3/4" bore	7.78
	PX106B	wheel, 12, PFX1300HDX, DX	12.45
27	PX107	axle, 3/4" od, PFX1300	8.17
28	PX108	bracket, axle, PFX1300	1.87
29	PX110G	grill, fan	4.87
	PX110	fan	23.61
30	PX11	fitting, plastic, elbow, black	3.38
31	PX11A	fitting, plastic, elbow, white	*
	PX11B	fitting, plastic, elbow, T, white, HF models	2.30
33	PX114C	cover, terminal block, PFX1300	6.28
34	PX117A	gauge, 0-300 p.s.i., 2-1/2", ABS	12.18
35	PX118A	nut, pal, 3/4" wheel	.93
37	PX133	sub, harness, switch panel	19.54
38	PX137	e clip, 3/4", PFX1300	.28
39	PX14	dump valve gasket 1-1/2"	1.55
40	PX14A	dump valve gasket 1-1/2" thin, 3 req. for HF models	1.44
41	PX17	street elbow 45° brass	2.44
42	PX25	fitting, plastic, bulkhead, 2 req. for HF models	*
43	PX26	caster, 3" dia. wheel	*
	PX65	caster 4" for PFX1300HDX, DX	18.86
45	71495A	ball strainer	5.00

PFX1300 lower housing assembly





ref#	order	description	each
45	PX31	float cage w/heavy ball, 2 req. for HF models	27.28
46	PX33	float tube, PFX1300/H/HP, 2 req. for HF models	9.45
	PX33S	float tube	call
47	PX46	nut, lock, die cast, 1-1/2"	1.33
48	PX48	fitting, brass, bulkhead, 3/4"	5.48
49	72274A	washer, 3/4 neoprene	2.85
50	PX49	peb plug, PFX1300	5.46
51	PX6	1/4 x 1/4 female quick	9.36
52	PX98	motor/pump/plst, PFX1300HP	24.50
53	X8211S	1/4-20 x 1" serrated hex self	.23
54	X8237	nut, 1/4-20, lock, nylon insert	.06
55	X8248	nut, 5/16" lock w/nylon insert	.06
56	X8252S	5/16-18 x 1" hex flange	.26


ref#	order	description	each
57	X8256	8-32 keep nut	.11
59	X8271	10-24 nylon insert lock nut	.07
58	X8276	10-24 x 3/4" phph, blk oxide	.16
63	X8284	8-32 x 3/8" phph, type F	.11
62	X8286	8-32 x 1" phph, type F	.11
60	X8274	8-32 x 2-1/2" phph machine screw	.11
61	X8298	8-32 x 3/4" phph	.11
62	PX113	cord retainer	2.33
NOT ILLUSTRATED			
	PX149	lift handle	13.39
	X8850	screw for lift handle	.31
	X8237	nut for lift handle	.06
	X8235S	washer for lift handle	*

PFX1350 recovery tank assembly

PFX1350 base assembly



PFX1350 solution tank assembly



PFX1350 base assembly

ref#	order#	description	each
1	72620AB	housing, base, black	124.50
2	72633A	axle	*
3	X9066	wheel, 12" x 1.75" non-marking,	21.00
	PX106B	wheel, 12" w/ 3/4" bore, all black	12.45
4	7GL002	push nut	2.00
5	7CM007	washer, 1/2 uss flat, 18-8 ss	.25
6	72634A	bushing, 1/2" id x 3/4" od x 2-1/4" long	*
	72635A	spacer, 1/2" id x 3/4" od x 1/4" long	*
7	72640A	gasket, vac manifold, long	*
8	72623A	cover, vacuum manifold, long	*
9	7CW002	screw, #6 x 3/4 phil pan ts, type a 18-8 ss	.10
10	72000A	rod, 3/16 x 5-1/2, all thread stud, 18-8 ss	2.85
11	72657A	screw, 10-24 x 4" long, hex head,	*
	72658A	screw, 10-24 x 5" long, hex head	*
12	72651A	spacer, vac motor, 2.375" long	*
13	70020B	gasket, vacuum motor seal	2.70
14	1942-IE	vacuum motor, 115 vac, 104 cfm, 2 stage	52.43
	72365A	vacuum motor, 3 stage, 120v	125.00
15	7BF003	nut, kep, #10-24 zinc	.10
16	7CM003	washer, #10 uss flat, 18-8 ss	.10
17	72624A	cover, vacuum manifold, short	*
18	72641A	gasket, vac manifold, short	*
19	PX117A	gauge, 0-300 psi, 2-1/2", abs	12.18
	PC38	connector, double thread,	1.44
20	72638A	pressure regulator plate	*
	X9157	cover, pressure regulator plate	*
21	72173A	spring clip, black vinyl coated	3.75
22	72636A	cover plate, bottom	*
23	72388A	screw, #10 x 5/8, tap phil, ss pan head	*
24	PX65	caster, 4" black	18.86

ref#	order#	description	each
25	72490A	screw, w/ hex socket	.20
26	72387A	screw, #8 x 5/8, black, tap phil, pan head	.10
27	72639A	gasket, mounting pressure regulator	*
28	X8256	nut, 8-32 keps, zinc	.11
29	70063B	coupler, valved 1/4, quick disconnect	15.35
30	7CX002	nipple, hex 1/4 mpt	1.70
31	72115A	washer, galvanized	.45
32	PC38	connector, double thread, female	1.44
33	72642A	gasket, vac manifold, circle	*
34	72625A	cover, vacuum manifold, circle	*
35	72627A	gasket, pump mounting	*
36	72626A	pump mounting plate	*
37	X9069	end loop, ss, w/ 2 holes, 16g	2.25
38	PF1750	heater unit, 1750 watts	253.73
	PF1200	heater, 1200w for low flow	262.00
	PF2000	heater, 2 1000 watt element (split)	262.00
39	PT400	pump, 200 psi w/regulator, 115v	180.60
	SF814	pump, 100 psi w/by-pass, epdm valves	99.12
	PT400-KIT3	pump assembly, 400 psi w/ hoses,	394.81
40	X9022	heater mounting bracket	11.70
41	X8236	screw, 10-24 x 1-1/4", phil pan ms, zinc	.13
42	72020A	screw, #12 x 1", self-tap, phms zinc	.10
43	7BS003	screw, 1/4-20 x 1/2, phil, pan, ms 18-8 ss	.25
44	X9014	hinge	18.00
45	PD8	strain relief, 1/2" npt	7.86
46	PX112	pigtail, black, 12/3 sjt x 39" long	2.63
47	PR112R	pigtail, red, 12/3 sjt x 39" long	2.63
48	X9131	cord panel	*
49	X8008N	nut, lock, 1/2" steel conduit	.16
50	7BS002	screw, 8-32 x 1/2 phil, pan ms, 18-8 ss	.10

PFX1350 recovery tank assembly

ref#	order#	description	each
1	X9113	housing, recovery tank	82.00
2	PX25	fitting, plastic, hose barb	1.90
3	PX14A	dump valve gasket rubber	1.44
4	PX11A	fitting, plastic elbow	4.90
5	72486A	spacer, 1.625 long, .50 od, .313 id	1.56
6	X8025	wheel, black, 4" x 1-1/4"	11.07
7	72645A	bolt, 5/16-18 x 2-1/4, hex	*
8	PX103G	gasket, lid, 8"od x 6-5/8 id x 1/8" thick	1.12
9	PX103	lid, screw-in, 6" clear w/ black ring	13.59
10	72656A	hose, 1-1/2", wire-reinforced, black	*
11	X8295	screw, black zinc	.11
12	PX33	vacuum tube	9.45
13	PX31	float cage w/ heavy ball	27.28
14	72615A	coupling, pvc, 1-1/2 slip x slip	1.28

ref#	order#	description	each
15	X9154	pipe, pvc, schedule 40, 1-1/2", 9.5" long	*
16	PX63	coupler, plastic, 1- " slip	2.30
17	PX87	rocker switch	4.12
18	X8102	neon light w/ lens, orange	2.86
19	72387A	screw, #8 x 5/8 phil ph black	*
20	PX86	indicator light, green, 250v	2.78
21	X9152	switch panel w/o heater	*
	X9130	switch panel w/ heater	*
22	PAS36	expansion plug drain	3.61
23	PAS37	drain hose	8.04
24	7DL005	clamp worm gear 1-1/2 ss	1.70
25	X8235	washer, " flat, uss zinc	.06
26	7GR016	elbow, 1-1/4h - 1-1/4m, nylon	2.70

PFX1350 solution tank assembly

ref#	order#	description	each
1	X9112	housing, solution tank	73.23
2	X9014	hinge	18.00
3	7BS003	screw, phil pan ms, 18-8 ss	.25
4	PX3H	hose, solution, 3/8" id x 1/8" wall	*
5	PX42	clamp, 5/8 worm gear	1.06
6	PX85	fitting, hose male/male barb	2.00
7	PX17	street elbow, 45° brass, 1/4" npt	2.44
8	PX48	fitting, brass, bulkhead, 3/4"	5.48
9	72274A	washer, 3/4"	2.85
10	PX48G	gasket, fiber	.25

ref#	order#	description	each
11	71495A	pump protection filter	5.00
12	7CT002	bolt, 5/16-18 x 1" hex tap	.35
13	PX88	grommet	.45
14	7CM002	washer, flat #8 ss, toggle valve	.10
15	X9140	tie down plate	*
16	7CP002	bolt, 5/16-18 x 1/2" hex tap	.25
17	7BH004	screw, 10-32 x 3/8" phil pan ms	.10
18	72173A	spring clip, black vinyl coated	3.75
19	X8218	washer, 5/16 sae flat zinc	.11
20	X9149	gasket, foam strip	*