

1 2 3 4 5 6 7 8

A

B



C

D

E

F

Ausrichtung der Kabeldurchführung beachten!



19729821

19725282 1 -0.75 BK1 KB2
19725282 2 -0.75 BK2 KB2

Abmantellänge 30mm

Position QC-Label


960

15595424

30 BK1 KB2 0.75 1 19719160
BK2 KB2 0.75 2 19719160

Abmantellänge 30mm

19719368




280

Toleranzen / tolerances	
0 - 100 mm	- 0/+10 mm
101 - 500 mm	-10/+10 mm
501 - 2000 mm	-10/+20 mm
> 2000 mm	-10/+30 mm

The tolerances are made for individual measurements and for the sum of several measurement

All housings with internal length



W36


All parts have to be in conformity to IEC 60335-1/-2-72
All housings have to be labeled with device tags

0	Integrated acc.	4100-04	10.05.19	DK	2019	Date	Name	CM1650	Name	Kabelbaum W36 (Kennzeichenleuchte)	 Hako GmbH D-23840 Bad Oldesloe	Drawing Number		
A2	No. Number appears	Change No.	Date	Name	Standard	Verified	Change No.	Replacem. for	For this drawing we reserve all rights (acc. DIN ISO 16016)			KABI 472	Type 1491	Dep. DS

97153571

cutting list-No. : 97153571	cutting list Kabelbaum W36 (Kennzeichenleuchte)
------------------------------------	--

cable		part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
KB2					26212150	2x0,75	1045				
BK1	KB2	19725282		X23/BU/1		0,75		BK1	E15/1	19719160	19719145
BK2	KB2	19725282		X23/BU/2		0,75		BK2	E15/2	19719160	19719145

0	Integrated acc.	4100-04	10.05.19	DK	2019	date	name	CM1650		Kabelbaum W36 (Kennzeichenleuchte)	type : 1491	97153571	num.ofsh.:2
					drawn	01.01.	DK	replaced by :					sheets: 2
					check			rev. No. :					
No.	changed wire/Sub-No.	Rev.-No.	date	name					Hako GmbH				
									D-23840 Bad Oldesloe				

Material: 97153571 wiring harness W36
 Index: 00
 Change Number: 4100-04

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97153571	10	1	15595424	Kabeldurchführung 1201 SNAP EPDM grau			1 PC	
97153571	10	2						Gummivogt Art.Nr. 1201
97153571	20	1	19719145	Dichtung GE (1,8-2,4) Superseal 1,5 SRS	wire seal YE (1,8-2,4) Superseal 1,5 SRS		2 PC	
97153571	20	2						Fa. AMP Nr. 281934-2
97153571	30	1	19719160	BU-Kont. Superseal 1,5 SRS (0,75-1,5)	socket-con. Superseal 1,5 SRS (0,75-1,5)		2 PC	
97153571	30	2						Fa. AMP Nr. 282110-1
97153571	40	1	19719368	BU-Gehäuse 2-pol Superseal 1,5 SRS	female-housing 2-pole Superseal 1,5 SRS		1 PC	
97153571	40	2						Fa. AMP Nr. 282080-1
97153571	50	1	19725282	BU-Kont. Mini Fit Plus (0,5-1,00)	socket-cont. Mini Fit Plus (0,5-1,00)		2 PC	
97153571	50	2						LV: Walter Kluxen GmbH 4000 Stück/Lieferantengebinde (Rolle) -
97153571	50	3						Kanban-
97153571	50	4						Teil Artikelkurzauftrag vorh.
97153571	50	5						
97153571	50	6						
97153571	50	7						Fa. Molex Nr. 45750-1111
97153571	60	1	19729821	BU-Gehäuse 2-pol Mini-Fit Jr.	female-housing 2-pole Mini-Fit Jr.		1 PC	
97153571	60	2						Fa. Molex Nr. 39-01-3022
97153571	70	1	26212150	Steuerleitung 2x0,75			1,04 M	
97153571	70	2						Hersteller: Friedrich Lütze GmbH & Co.KG
97153571	70	3						Typ: Superflex Plus N PUR 2X0,75 (Schleppkettenleitung)
97153571	70	4						Art.Nr.: 113 432