

19719517

19719152 1-1.0 W38  
19719152 2-1.0 W38

1-20 WH  
2-20 WH

90471061

Position  
QC-Label

NW4, 5  
L: 1335  
25857020


Pos (mm)	Type
180	90639113
370	90639113

90639618

20 WH W38  
20 WH W38

1-1.0 1 19721174  
2-1.0 2 19721174

19729664  
19729656




W38

Toleranzen / tolerances	
0 - 100 mm	- 0/+10 mm
101 - 500 mm	-10/+10 mm
501 - 2000 mm	-10/+20 mm
> 2000 mm	-10/+30 mm

The tolerances are made for individual measurements and for the sum of several measurement


All housings with internal length



All parts have to be in conformity to IEC 60335-1/-2-72  
All housings have to be labeled with device tags

0	Integrated acc.	4100-04	10.05.19	DK	2019	Date	Name	CM1650	Name	Kabelbaum W38 (AS Saugmund)		 Hako GmbH D-23840 Bad Oldesloe	Drawing Number 97158703	
A2	No. Number appears	Change No.	Date	Name	Standard	Verified	Replacem. for Change No.	For this drawing we reserve all rights (acc. DIN ISO 16016)		KAB1 472	Type 1491		Dep. DS	No. of Sh. 2

<b>cutting list-No. : 97158703</b>		<b>cutting list Kabelbaum W38 (AS Saugmund)</b>									
wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
W38	1	19719152	19719145	X103/ST/1	26210245	1,0	1400	WH	E31/1	19721174	
W38	2	19719152	19719145	X103/ST/2	26210245	1,0	1400	WH	E31/2	19721174	

0	Integrated acc.	4100-04	10.05.19	DK	2019	date	name	CM1650		<b>Kabelbaum W38 (AS Saugmund)</b>		
					drawn	01.01.	DK	replaced by :				
					check			rev. No. :		Hako GmbH	type : 1491	<b>97158703</b>
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 2						

Material: 97158703 wiring Harness W38

Index: 00

Change Number: 4100-04

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97158703	10	1	<b>19719145</b>	Dichtung GE (1,8-2,4) Superseal 1,5 SRS	wire seal YE (1,8-2,4) Superseal 1,5 SRS	2	PC	
97158703	10	2						Fa. AMP Nr. 281934-2
97158703	20	1	<b>19719152</b>	ST-Kont. Superseal 1,5 SRS (0,75-1,5)	tab-cont. Superseal 1,5 SRS (0,75-1,5)	2	PC	
97158703	20	2						Fa.AMP Nr.282109-1
97158703	30	1	<b>19719517</b>	ST-Gehäuse 2-pol Superseal 1,5 SRS	male-housing 2-pole Superseal 1,5 SRS	1	PC	
97158703	30	2						Fa. AMP Nr. 282104-1
97158703	40	1	<b>19721174</b>	Buchsenkontakt	bushing contact	2	PC	
97158703	40	2						Fa.Compagnie Deutsch
97158703	40	3						Nr.0462-201-16141 (Einzelkontakt)
97158703	40	4						Nr.1062-16-0622 (Bandware)
97158703	50	1	<b>19729656</b>	BU-Gehäuse 2-pol DT06-2S-EP04	female-housing 2-pole DT06-2S-EP04	1	PC	
97158703	50	2						Fa. Compagnie Deutsch Nr. DT06-2S-EP04
97158703	60	1	<b>19729664</b>	Arretierung W2S für DT06-2S Deutsch	interlock W2S for DT06-2S	1	PC	
97158703	60	2						Fa. Compagnie Deutsch Nr. W2S
97158703	70	1	<b>25857020</b>	Wellschlauch NW4,5 PPmod UFW geschlitzt	Corrugated tube NW4,5 PPmod UFW slit	1,34	M	
97158703	70	2						Fa. Schlemmer Nr. 1949304
97158703	80	1	<b>26210245</b>	PVC-Fahrzeugleitung FLRY-B 1x1 weiss	PVC-automotive cable FLRY-B 1x1 white	2,8	M	
97158703	80	2						Fa. NKT Art.: AP040010BNNNNAN
97158703	80	3						
97158703	80	4						DIN 72551 / ISO6722 FLRY-B
97158703	90	1	<b>90471061</b>	Schutzkappe Superseal-NW4,5	protection cap Superseal-NW4,5	1	PC	
97158703	90	2						Schutzkappe AMP2-SS-A-NW4,5
97158703	90	3						Fa.Schlemmer Nr.7807192
97158703	100	1	<b>90639113</b>	Halter Wellschlauch NW4,5	retainer	2	PC	
97158703	100	2						Fa. Schlemmer Nr. 9805960
97158703	110	1	<b>90639618</b>	Wellrohrclips 4,5	clips	1	PC	
97158703	110	2						Fa.Schlemmer
97158703	110	3						Nr.9805935