

Toleranzen / tolerances	
0 - 100 mm	-0/+10 mm
101 - 500 mm	-10/+10 mm
501 - 2000 mm	-10/+20 mm
> 2000 mm	-10/+30 mm

The tolerances are made for individual measurements and for the sum of several measurement

All housings with internal length


Type of winding	
	Spot (c. 100mm space)
	open winding
	one layer winding
	double layer winding

nach stecken der Sicherungen den Sicherungshalter in Foliebeutel verpacken (Transportsicherung)

90011750


All parts have to be in conformity to IEC 60335-1/-2-72
All housings have to be labeled with device tags

1	2x	4105-09	30.07.19	DK	2019	Date	Name	CM1650	Name	Kabelbaum W5 (Konsole rechts)	Drawing Number	97152292			
					Drawn by	01.01.	DK	Replacem. for same no.							
					Standard			Change No.	4100-04						
										For this drawing we reserve all rights (acc. DIN ISO 16016)		KABI 472 Type 1431 Dep. DS		No. of Sh. 13	Sheet 1




Toleranzen / tolerances	
0 - 100 mm	-0/+10 mm
101 - 500 mm	-10/+10 mm
501 - 2000 mm	-10/+20 mm
> 2000 mm	-10/+30 mm

The tolerances are made for individual measurements and for the sum of several measurement



All parts have to be in conformity to IEC 60335-1/-2-72
All housings have to be labeled with device tags

1	4x	4105-09	30.07.19	DK	2019	Date	Name	CM1650	Name	Kabelbaum W5 (Konsole rechts)	Drawing Number	97152292		
					Drawn by	01.01.	DK	Replacem. for same no.						
					Standard			Change No.	4100-04					
For this drawing we reserve all rights (acc. DIN ISO 16016)										KABI 472	Type 1491	Dep. DS	No. of Sh. 13	Sheet 2



Ltg. A1701/11 u. A1702/11
miteinander verdrehen
(ca. 34 Schläge pro m)

Ltg. A1703/10 u. A1704/10
miteinander verdrehen
(ca. 34 Schläge pro m)


Fortsetzung "B"
siehe Blatt 2!

Ltg. A1701/6 u. A1702/6
miteinander verdrehen
(ca. 34 Schläge pro m)

Ltg. A1703/11 u. A1704/11
miteinander verdrehen
(ca. 34 Schläge pro m)

Toleranzen / tolerances	
0 - 100 mm	-0/+10 mm
101 - 500 mm	-10/+10 mm
501 - 2000 mm	-10/+20 mm
> 2000 mm	-10/+30 mm

The tolerances are made for individual measurements and for the sum of several measurement



All parts have to be in conformity to IEC 60335-1/-2-72
All housings have to be labeled with device tags


1	4x	4105-09	30.07.19	DK	2019	Date	01.01.	Name	CM1650	Name	Kabelbaum W5 (Konsole rechts)		Drawing Number	97152292
Drawn by Verified Standard										Replacem. for same no. Change No. 4100-04		Drawing Number 97152292		
No. Number appears Change No.										Name Kabelbaum W5 (Konsole rechts)		Drawing Number 97152292		
Date 30.07.19										Name CM1650		Drawing Number 97152292		
Name DK										Name Replacem. for same no.		Drawing Number 97152292		
Standard 										Name CM1650		Drawing Number 97152292		
Date 01.01.										Name DK		Drawing Number 97152292		
Name 										Name Replacem. for same no.		Drawing Number 97152292		
Standard 										Name CM1650		Drawing Number 97152292		
Date 30.07.19										Name DK		Drawing Number 97152292		
Name DK										Name Replacem. for same no.		Drawing Number 97152292		
Standard 										Name CM1650		Drawing Number 97152292		
Date 01.01.										Name DK		Drawing Number 97152292		
Name 										Name Replacem. for same no.		Drawing Number 97152292		
Standard 										Name CM1650		Drawing Number 97152292		

For this drawing we reserve all rights (acc. DIN ISO 16016)

KABI 472 Type 1431 Dep. DS No. of Sh. 13 Sheet 3


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)
------------------------------------	---

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A1500	1	-		XS16/2	26210294	6,0	795	WH	S01/B/58	19725076	
A1500	7	USSP17.5		XS16/1	26210252	1,5	200	WH	A10/F29/1	19725159	
A1500	6	^		XS16/1	26210252	1,5	215	WH	A10/F27/1	19725159	
A1500	5	^		XS16/1	26210252	1,5	250	WH	A10/F07/1	19725159	
A1500	4	^		XS16/1	26210252	1,5	250	WH	A10/F06/1	19725159	
A1500	3	^		XS16/1	26210252	1,5	260	WH	A10/F05/1	19725159	
A1500	2	^		XS16/1	26210252	1,5	270	WH	A10/F04/1	19725159	
A1500	8	^		XS16/1	26210112	2,5	200	WH	A10/F34/1	19725159	
A1503	1	19725084		A04/X2/5	26210252	1,5	300	WH	K10/2	19725191	
A1503	2	19725084		X14/BU/1	26210252	1,5	350	WH	K10/2	^	
A1504	1	19725480		X17/ST/17	26210245	1,0	930	WH	A10/F04/2	19725159	
A1504	6	19725480		X28/ST/2	26210245	1,0	790	WH	A10/F04/2	^	
A1505	7	USSP4.5		XS76/1	26210278	0,5	542	WH	X60/1	19725415	
A1505	2	^		XS76/1	26210278	0,5	300	WH	A04/X5/1	19725282	
A1505	1	^		XS76/1	26210245	1,0	570	WH	A10/F05/2	19725456	
A1505	18	^		XS76/1	26210278	0,5	365	WH	K10/3	19725175	
A1505	15	-		XS76/2	26210278	0,5	375	WH	X17/ST/1	19725480	
A1505	4	^		XS76/2	26210278	0,5	375	WH	X10/ST/1	19725480	
A1505	3	^		XS76/2	26210278	0,5	375	WH	X18/ST/1	19725480	
A1505	16	^		XS76/2	26210278	0,5	350	WH	X15/ST/13	19725480	
A1506	3	19726298A		R28/1	26210278	0,5	420	WH	A10/F06/2	19725456	
A1506	11	19724053		X09/ST/1	26210278	0,5	620	WH	A10/F06/2	^	
A1507	1	19725084		A04/X2/2	26210252	1,5	860	WH	A10/F07/2	19725159	
A1527	1	19725159		A10/F27/2	26210252	1,5	880	WH	X17/ST/20	19725423	
A1529	1	19724129		X91/ST/2	26210278	0,5	960	WH	A10/F29/2	19725456	
A1534	1	19725084		X06/BU/4	26210252	1,5	750	WH	A10/F34/2	19725159	
A1591	1	19725480		X08/ST/1	26210278	0,5	390	WH	A04/X6/2	19725282	
A1606	1	19725282		A04/X4/5	26210278	0,5	735	WH	X10/ST/20	19725480	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 4						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)	
------------------------------------	---	--

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A1617	1	19724053		X09/ST/8	26210278	0,5	220	WH	A04/X6/4	19725282	
A1618	1	19725480		X15/ST/15	26210278	0,5	570	WH	A04/X6/11	19725282	
A1619	3	19725480		X15/ST/17	26210278	0,5	605	WH	X10/ST/21	19725480	
A1620	3	19725480		X15/ST/18	26210278	0,5	605	WH	X10/ST/22	19725480	
A1622	1	19725480		X11/ST/9	26210278	0,5	570	WH	A04/X6/13	19725282	
A1623	1	19724053		X09/ST/7	26210278	0,5	360	WH	A04/X4/17	19725282	
A1629	1	19725480		X15/ST/4	26210278	0,5	710	WH	A04/X4/16	19725282	
A1638	2	USSP1.5		XS97/1	26210278	0,5	370	WH	X17/ST/18	19725480	
A1638	6	^		XS97/1	26210278	0,5	350	WH	X15/ST/5	19725480	
A1638	4	-		XS97/2	26210278	0,5	250	WH	X11/ST/14	19725480	
A1639	1	-		XS75/2	26210278	0,5	140	WH	A04/X6/15	19725282	
A1639	2	USSP1.5		XS75/1	26210278	0,5	450	WH	X15/ST/16	19725480	
A1639	3	^		XS75/1	26210278	0,5	140	WH	R28/2	19726298A	
A1661	1	19721174		B08/1	26210278	0,5	890	WH	A04/X5/10	19725282	
A1662	1	19721174		B08/2	26210278	0,5	890	WH	A04/X5/2	19725282	
A1663	1	19721174		B08/3	26210278	0,5	890	WH	A04/X5/11	19725282	
A1691	1	19725282		A04/X4/13	26210278	0,5	710	WH	X11/ST/8	19725480	
A1701	6	-		XS77/2	26210278	0,5	300	WH	A04/X5/3	19725282	
A1701	5	^		XS77/2	26210278	0,5	542	WH	X60/11	19725415	
A1701	11	^		XS77/2	26210278	0,5	630	WH	X91/ST/3	19724129	
A1701	10	USSP3.0		XS77/1	26210278	0,5	350	WH	X11/ST/1	19725480	
A1701	8	^		XS77/1	26210278	0,5	350	WH	X15/ST/8	19725480	
A1701	13	^		XS77/1	26210278	0,5	370	WH	X18/ST/8	19725480	
A1702	6	-		XS78/2	26210278	0,5	280	WH	A04/X5/12	19725282	
A1702	5	^		XS78/2	26210278	0,5	522	WH	X60/12	19725415	
A1702	11	^		XS78/2	26210278	0,5	610	WH	X91/ST/4	19724129	
A1702	10	USSP3.0		XS78/1	26210278	0,5	370	WH	X11/ST/2	19725480	
A1702	8	^		XS78/1	26210278	0,5	370	WH	X15/ST/7	19725480	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 5						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)	
------------------------------------	---	--

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A1702	13	^		XS78/1	26210278	0,5	390	WH	X18/ST/9	19725480	
A1703	9	USSP2.0		XS123/1	26210278	0,5	545	WH	X11/ST/12	19725480	
A1703	4	^		XS123/1	26210278	0,5	577	WH	X60/8	19725415	
A1703	11	^		XS123/1	26210278	0,5	155	WH	A04/X5/5	19725282	
A1703	10	-		XS123/2	26210278	0,5	435	WH	X91/ST/5	19724129	
A1704	9	USSP2.0		XS124/1	26210278	0,5	545	WH	X11/ST/13	19725480	
A1704	4	^		XS124/1	26210278	0,5	577	WH	X60/9	19725415	
A1704	11	^		XS124/1	26210278	0,5	155	WH	A04/X5/14	19725282	
A1704	10	-		XS124/2	26210278	0,5	435	WH	X91/ST/6	19724129	
A1705	5	19721059		XS45/1	26210278	0,5	582	WH	X20/ST/5	19725480	
A1705	6	^		XS45/1	-	0,2	26	-	R20/1	-	
A1705	7	ABZUG071		XS45/2	26210278	0,5	270	WH	X60/6	19725415	
A1706	5	ABZUG071		XS46/2	26210278	0,5	530	WH	X20/ST/6	19725480	
A1706	6	19721059		XS46/1	-	0,2	26	-	R20/2	-	
A1706	7	^		XS46/1	26210278	0,5	322	WH	X60/14	19725415	
A1821	1	19725282		A04/X4/4	26210278	0,5	730	WH	X17/ST/8	19725480	
A1822	1	19725282		A04/X4/3	26210278	0,5	730	WH	X17/ST/7	19725480	
A1828	3	19725241		S18/2	26210278	0,5	1075	WH	X10/ST/9	19725480	
A1842	1	19725282		A04/X4/15	26210278	0,5	740	WH	S11/3	19725241	
A1842	2	19725480		X10/ST/19	26210278	0,5	1070	WH	S11/3	^	
A1843	1	19725282		A04/X4/14	26210278	0,5	740	WH	S11/1	19725241	
A1843	2	19725480		X10/ST/18	26210278	0,5	1070	WH	S11/1	^	
A1844	6	19725480		X10/ST/17	26210278	0,5	730	WH	A04/X4/12	19725282	
A1851	1	19725480		X08/ST/9	26210278	0,5	390	WH	A04/X6/5	19725282	
A1853	1	19725480		X08/ST/10	26210278	0,5	390	WH	A04/X6/6	19725282	
A1855	1	19725480		X08/ST/8	26210278	0,5	430	WH	A04/X4/10	19725282	
A1856	1	19725480		X08/ST/2	26210278	0,5	430	WH	A04/X4/8	19725282	
A1857	1	19725480		X08/ST/4	26210278	0,5	430	WH	A04/X4/9	19725282	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 6						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)
------------------------------------	---

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A1858	1	19725480		X08/ST/5	26210278	0,5	350	WH	A04/X5/8	19725282	
A1859	1	19725480		X08/ST/6	26210278	0,5	350	WH	A04/X5/17	19725282	
A1861	1	19725480		X08/ST/13	26210278	0,5	390	WH	A04/X6/7	19725282	
A1863	1	19725480		X08/ST/14	26210278	0,5	390	WH	A04/X6/8	19725282	
A1881	1	19725480		X08/ST/7	26210278	0,5	350	WH	A04/X5/7	19725282	
A1890	3	19725480		X10/ST/6	26210278	0,5	1070	WH	S15/2	19725241	
A1890	4	19725241		S15/8	26210278	0,5	100	WH	S15/2	^	
A1891	1	19725241		S15/3	26210278	0,5	1070	WH	X10/ST/7	19725480	
A2300	2	19725241		K09/4	26210278	0,5	860	WH	X18/ST/16	19725480	
A2310	1	19725084		K09/8	26210252	1,5	900	WH	X19/BU/4	19725084	
A2330	2	19725423		X10/ST/16	26210252	1,5	620	WH	X18/ST/17	19725423	
A2502	6	19725480		X10/ST/10	26210278	0,5	1075	WH	S18/8	19725241	
A3001	1	19725191		A10/F01/2	26210252	1,5	930	WH	X18/ST/18	19725423	
A3001	2	^		A10/F01/2	26210252	1,5	910	WH	K09/2	19725084	
A3002	1	19725159		A10/F02/2	26210252	1,5	855	WH	K12/8	19725084	
A3003	1	19725159		A10/F03/2	26210252	1,5	755	WH	K10/1	19725159	
A3014	1	19725159		A10/F14/2	26210245	1,0	885	WH	X17/ST/5	19725480	
A3014	3	^		A10/F14/2	26210252	1,5	835	WH	A04/X2/3	19725084	
A3018	3	19718253	19718261	X05/ST/A	26210294	6,0	350	WH	XS11/2	-	
A3018	4	19718253	19718261	X05/ST/B	26210294	6,0	350	WH	XS02/2	-	
A3018	8	19725159		A10/F01/1	26210112	2,5	320	WH	XS11/1	USSP16.5	
A3018	9	19725159		A10/F02/1	26210112	2,5	315	WH	XS11/1	^	
A3018	10	19725159		A10/F03/1	26210112	2,5	315	WH	XS11/1	^	
A3018	11	19725159		A10/F14/1	26210252	1,5	275	WH	XS11/1	^	
A3018	12	19725159		A10/F21/1	26210252	1,5	265	WH	XS11/1	^	
A3018	13	19725159		A10/F22/1	26210252	1,5	265	WH	XS02/1	USSP16.5	
A3018	14	19725159		A10/F26/1	26210252	1,5	250	WH	XS02/1	^	
A3018	15	19725159		A10/F31/1	26210112	2,5	260	WH	XS02/1	^	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 7						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)
------------------------------------	---

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A3018	16	19725159		A10/F32/1	26210112	2,5	260	WH	XS02/1	^	
A3018	17	19725159		A10/F33/1	26210112	2,5	250	WH	XS02/1	^	
A3021	1	19725159		A10/F21/2	26210245	1,0	705	WH	K10/6	19725456	
A3021	3	^		A10/F21/2	26210245	1,0	875	WH	X10/ST/15	19725480	
A3022	1	-		XS79/2	26210278	0,5	475	WH	X18/ST/2	19725480	
A3022	5	^		XS79/2	26210278	0,5	482	WH	X60/16	19725415	
A3022	2	19725456		A10/F22/2	26210278	0,5	585	WH	X09/ST/3	19724053	
A3022	18	USSP2.0		XS79/1	26210278	0,5	140	WH	X09/ST/3	^	
A3022	3	^		XS79/1	26210278	0,5	140	WH	A04/X6/1	19725282	
A3022	12	19725480		X20/ST/1	26210278	0,5	100	WH	X20/ST/2	19725480	
A3026	1	19725159		A10/F26/2	26210252	1,5	720	WH	X28/ST/1	19725423	
A3031	1	19725456		A10/F31/2	26210278	0,5	970	WH	X91/ST/1	19724129	
A3032	1	19725159		A10/F32/2	26210112	2,5	760	WH	X06/BU/1	19725084	
A3033	1	19725159		A10/F33/2	26210112	2,5	750	WH	X06/BU/2	19725084	
A3102	2	19714070		X42/4	26210260	4,0	260	WH	XS23/1	USSP15.5	
A3102	3	19726298A		R103/2	26210278	0,5	330	WH	XS23/2	-	
A3102	4	19725241		S15/5	26210278	0,5	720	WH	XS23/2	^	
A3102	6	19725241		S11/2	26210278	0,5	720	WH	XS23/2	^	
A3102	7	19725480		X08/ST/16	26210278	0,5	410	WH	XS23/2	^	
A3102	11	19721174		B08/5	26210245	1,0	950	WH	XS23/2	^	
A3102	12	19725423		X28/ST/6	26210252	1,5	390	WH	XS23/2	^	
A3102	13	19724129		X91/ST/8	26210278	0,5	630	WH	XS23/2	^	
A3102	26	19725084		X06/BU/5	26210112	2,5	420	WH	XS23/2	^	
A3102	27	USSP7.5		XS119/1	26210112	2,5	240	WH	XS23/2	^	
A3102	34	19725241		S15/7	26210278	0,5	720	WH	XS23/2	^	
A3102	43	19725241		S11/7	26210278	0,5	720	WH	XS23/2	^	
A3102	28	19725241		S18/9	26210278	0,5	720	WH	XS23/2	^	
A3102	51	^		S18/9	26210278	0,5	100	WH	S18/7	19725241	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 8						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)
------------------------------------	---

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A3102	49	-		XS119/2	26210278	0,5	145	WH	K10/5	19725175	
A3102	48	^		XS119/2	26210278	0,5	145	WH	K10/10	19725175	
A3102	45	^		XS119/2	26210278	0,5	240	WH	K12/6	19725241	
A3102	41	^		XS119/2	26210278	0,5	602	WH	X60/4	19725415	
A3102	10	^		XS119/2	26210252	1,5	250	WH	A04/X8/1	19725035	19791029
A3102	9	^		XS119/2	26210278	0,5	290	WH	K09/6	19725241	
A3102	8	^		XS119/2	26210278	0,5	175	WH	K08/5	19725175	
A3102	52	^		XS119/2	26210278	0,5	175	WH	K08/10	19725175	
A3102	57	19725480		X20/ST/3	26210278	0,5	100	WH	X20/ST/4	19725480	
A3104	2	19725480		X15/ST/6	26210278	0,5	710	WH	A04/X4/1	19725282	
A3104	4	19725480		X15/ST/10	26210278	0,5	710	WH	A04/X4/22	19725282	
A3104	6	19725480		X15/ST/11	26210278	0,5	710	WH	A04/X4/23	19725282	
A3104	8	19725480		X15/ST/12	26210278	0,5	710	WH	A04/X4/24	19725282	
A3129	4	USSP2.0		XS99/1	26210278	0,5	510	WH	X08/ST/3	19725480	
A3129	2	^		XS99/1	26210278	0,5	340	WH	A04/X6/9	19725282	
A3129	6	^		XS99/1	26210278	0,5	350	WH	X15/ST/14	19725480	
A3129	5	-		XS99/2	26210278	0,5	250	WH	X11/ST/11	19725480	
A3151	12	19725480		X10/ST/2	26210278	0,5	605	WH	X15/ST/1	19725480	
A3210	1	19725084		X14/BU/2	26210252	1,5	470	WH	A04/X2/4	19725084	
A3431	3	19725480		X10/ST/8	26210278	0,5	1070	WH	S15/6	19725241	
A4080	1	19725241		X14/BU/3	26210245	1,0	350	WH	K10/7	19725456	
A4081	2	19725480		X15/ST/9	26210278	0,5	695	WH	K10/8	19725175	
A4903	1	USSP1.5		XS100/1	26210278	0,5	500	WH	A04/X7/1	19725282	
A4903	2	^		XS100/1	26210278	0,5	370	WH	X17/ST/6	19725480	
A4903	5	-		XS100/2	26210278	0,5	270	WH	X18/ST/6	19725480	
A4904	1	19725282		A04/X7/2	26210278	0,5	750	WH	X18/ST/7	19725480	
A4905	1	19725282		A04/X7/4	26210278	0,5	755	WH	X10/ST/11	19725480	
A4906	1	19725282		A04/X7/5	26210278	0,5	755	WH	X10/ST/13	19725480	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 9						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)
------------------------------------	---

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A4909	1	19725282		A04/X4/2	26210245	1,0	730	WH	X17/ST/4	19725480	
A4911	1	19725282		A04/X4/6	26210278	0,5	735	WH	X17/ST/10	19725480	
A4912	1	19725282		A04/X4/7	26210278	0,5	735	WH	X17/ST/9	19725480	
A4913	1	19725282		A04/X7/3	26210278	0,5	755	WH	X10/ST/12	19725480	
A4914	1	19725282		A04/X7/6	26210278	0,5	755	WH	X10/ST/14	19725480	
A5001	4	19725456		A10/F20/2	26210278	0,5	1055	WH	X100/BU/1	19725035	19791029
A5011	1	19725464		A10/F20/1	26210294	6,0	1000	WH	S01/B/50	19725076	
A5300	1	19725456		K08/1	26210245	1,0	745	WH	X17/ST/13	19725480	
A5301	2	19725282		A04/X4/11	26210278	0,5	735	WH	X17/ST/11	19725480	
A5320	3	19725282		A04/X6/12	26210278	0,5	595	WH	X17/ST/12	19725480	
A5330	1	19725175		K08/3	26210278	0,5	725	WH	X15/ST/3	19725480	
A5331	1	19725175		K08/4	26210245	1,0	745	WH	X17/ST/15	19725480	
A5340	2	19725282		A04/X4/20	26210278	0,5	730	WH	X17/ST/19	19725480	
A5600	7	19725183		K08/9	26210245	1,0	745	WH	X18/ST/4	19725480	
A5600	8	^		K08/9	26210245	1,0	100	WH	K08/6	19725456	
A5700	2	-		XS15/2	26210252	1,5	660	WH	X18/ST/11	19725423	
A5700	4	USSP4.5		XS15/1	26210245	1,0	260	WH	A10/F16/1	19725456	
A5700	3	^		XS15/1	26210245	1,0	250	WH	A10/F15/1	19725456	
A5700	5	^		XS15/1	26210245	1,0	235	WH	A10/F35/1	19725456	
A5701	6	USSP4.0		XS14/1	26210278	0,5	165	WH	V02/A	19726298A	
A5701	4	^		XS14/1	26210278	0,5	370	WH	X28/ST/3	19725480	
A5701	1	^		XS14/1	26210245	1,0	515	WH	A10/F15/2	19725456	
A5701	25	^		XS14/1	26210278	0,5	700	WH	S11/8	19725241	
A5701	29	19725241		S18/10	26210278	0,5	580	WH	S11/8	^	
A5701	3	-		XS14/2	26210278	0,5	390	WH	X17/ST/16	19725480	
A5701	2	^		XS14/2	26210278	0,5	370	WH	X11/ST/3	19725480	
A5701	28	^		XS14/2	26210278	0,5	395	WH	X18/ST/10	19725480	
A5702	1	19725456		A10/F16/2	26210278	0,5	875	WH	X11/ST/4	19725480	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: *						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)
------------------------------------	---

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A5702	2	^		A10/F16/2	26210278	0,5	900	WH	X18/ST/12	19725480	
A5703	1	19725282		A04/X4/18	26210278	0,5	160	WH	XS27/2	-	
A5703	3	19726298A		R103/1	26210278	0,5	110	WH	XS27/2	^	
A5703	2	19726298A		V02/K	26210278	0,5	115	WH	XS27/1	USSP1.5	
A5735	1	19725241		X06/BU/3	26210245	1,0	760	WH	A10/F35/2	19725456	
A5800	1	-		XS04/2	26210294	6,0	745	WH	S01/B/15	19725076	
A5800	3	USSP11.5		XS04/1	26210252	1,5	275	WH	A10/F23/1	19725159	
A5800	2	^		XS04/1	26210252	1,5	285	WH	A10/F13/1	19725159	
A5800	4	^		XS04/1	26210112	2,5	265	WH	A10/F24/1	19725159	
A5813	1	19725241		X19/BU/5	26210245	1,0	275	WH	A10/F13/2	19725456	
A5823	1	19725084		X19/BU/6	26210252	1,5	265	WH	A10/F23/2	19725159	
A5824	1	19725480		X17/ST/21	26210245	1,0	880	WH	A10/F24/2	19725456	
A5841	2	19725480		X11/ST/5	26210245	1,0	605	WH	X18/ST/14	19725480	
A5842	2	19725159		K08/7	26210245	1,0	745	WH	X18/ST/13	19725480	
A5842	3	^		K08/7	26210278	0,5	100	WH	K08/8	19725175	
A6100	2	19725480		X11/ST/7	26210278	0,5	570	WH	A04/X6/14	19725282	
A7211	3	19724053		X09/ST/2	26210245	1,0	590	WH	X18/ST/20	19725480	
A7230	4	19725480		X15/ST/2	26210245	1,0	605	WH	X18/ST/3	19725480	
A7500	4	19718246	19718261	X07/BU/A	26210294	6,0	450	WH	XS39/2	-	
A7500	7	19718246	19718261	X07/BU/B	26210294	6,0	450	WH	XS92/2	-	
A7500	10	19725159		A10/F08/1	26210252	1,5	210	WH	XS39/1	USSP12.0	
A7500	11	19725159		A10/F09/1	26210252	1,5	195	WH	XS39/1	^	
A7500	12	19725159		A10/F10/1	26210252	1,5	190	WH	XS39/1	^	
A7500	13	19725159		A10/F11/1	26210252	1,5	190	WH	XS39/1	^	
A7500	14	19725159		A10/F12/1	26210252	1,5	195	WH	XS92/1	USSP13.0	
A7500	15	19725159		A10/F25/1	26210252	1,5	150	WH	XS92/1	^	
A7500	16	19725159		A10/F28/1	26210252	1,5	160	WH	XS92/1	^	
A7500	17	19725159		A10/F30/1	26210112	2,5	150	WH	XS92/1	^	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: *						


cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)
------------------------------------	---

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A7508	1	19725159		A10/F08/2	26210252	1,5	870	WH	A04/X2/6	19725084	
A7508	2	^		A10/F08/2	26210245	1,0	630	WH	X09/ST/6	19724053	
A7509	1	19725159		A10/F09/2	26210245	1,0	910	WH	X17/ST/14	19725480	
A7509	2	^		A10/F09/2	26210245	1,0	765	WH	K08/2	19725456	
A7510	1	19725159		A10/F10/2	26210252	1,5	830	WH	K12/5	19725027	
A7510	3	19725035	19791029	X114/BU/1	26210252	1,5	150	WH	K12/5	^	
A7510	4	19725084		X19/BU/3	26210252	1,5	850	WH	K12/2	19725027	
A7510	5	19724020	19791037	X114/ST/1	26210252	1,5	150	WH	K12/2	^	
A7511	1	19725084		X19/BU/2	26210252	1,5	280	WH	A10/F11/2	19725159	
A7512	1	19725084		X19/BU/1	26210252	1,5	285	WH	A10/F12/2	19725159	
A7525	1	19725456		A10/F25/2	26210245	1,0	860	WH	X18/ST/21	19725480	
A7528	1	19725456		A10/F28/2	26210245	1,0	1290	WH	B08/4	19721174	
A7530	1	19725456		A10/F30/2	26210245	1,0	570	WH	X09/ST/5	19724053	
A7720	3	19725282		A04/X5/6	26210278	0,5	650	WH	X10/ST/4	19725480	
A8005	12	USSP1.5		XS71/1	26210278	0,5	860	WH	X10/ST/5	19725480	
A8005	16	^		XS71/1	26210278	0,5	865	WH	X17/ST/3	19725480	
A8005	13	-		XS71/2	26210278	0,5	230	WH	S18/3	19725241	
A8010	11	-		XS70/2	26210278	0,5	925	WH	X10/ST/3	19725480	
A8010	15	^		XS70/2	26210278	0,5	925	WH	X17/ST/2	19725480	
A8010	12	USSP1.5		XS70/1	26210278	0,5	170	WH	S18/1	19725241	
W5	1	19725456		A10/F36/1	26210245	1,0	100	WH	A10/F36/2	19725456	
W5	2	19725456		A10/F37/1	26210245	1,0	100	WH	A10/F37/2	19725456	
W5	3	19725456		A10/F38/1	26210245	1,0	100	WH	A10/F38/2	19725456	
W5	4	19725456		A10/F39/1	26210245	1,0	100	WH	A10/F39/2	19725456	
W5	5	19725480		X15/ST/19	26210245	1,0	605	WH	X18/ST/22	19725480	
W5	6	19725282		A04/X5/15	26210278	0,5	655	WH	X17/ST/22	19725480	
W5	7	19725480		X11/ST/6	26210278	0,5	790	WH	K12/4	19725241	
W5	8	19725480		X11/ST/10	26210278	0,5	900	WH	X113/ST/1	19725480	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650		Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK					
					check					rev. No. : 4100-04	Hako GmbH	type : 1491
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: *						

cutting list-No. : 97152292	cutting list Kabelbaum W5 (Konsole rechts)	
-----------------------------	--	--

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
W5	9	19725282		X113/BU/1	26210278	0,5	100	WH	X113/BU/2	19725282	
W5	10	19725480		X18/ST/5	26210278	0,5	920	WH	X113/ST/2	19725480	

1	/	4105-09	30.07.19	DK	2019	date	name	CM1650	 Hako GmbH D-23840 Bad Oldesloe	Kabelbaum W5 (Konsole rechts)		
					drawn	01.01.	DK	replaced by : same no.				
					check			rev. No. : 4100-04		type : 1491	97152292	num.ofsh.: 13 sheets: *
No.	changed wire/Sub-No.	Rev.-No.	date	name								

Material: 97152292 wire harness W5
 Index: 01
 Change Number: 4105-09

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97152292	10	1	19245018	Widerstand 1K 0207	resistor	1	PC	
97152292	10	2						1K 0,5W 250V
97152292	20	1	19245125	Widerstand 10k 0,25W	resistor	1	PC	
97152292	20	2						CONRAD 403377-55
97152292	30	1	19255645	Steckhülsegehäuse VC1	housing	3	PC	
97152292	30	2						Fa.Carlingswitch Nr.VC1-01
97152292	40	1	19714070	Ringkabelschuh ähn. DIN 46225 A6-6	ring term. similar DIN 46225 A6-6	1	PC	
97152292	40	2						Fa. Lear Nr.25233.123.011 ersetzt durch
97152292	40	3						Fa. GHW Nr.25233.123.322 (mit Papiereinlage)
97152292	50	1	19718246	BU-Kont. Ducon 6,3 (4-6)	socket-cont. Ducon 6,3 (4-6)	2	PC	
97152292	50	2						Fa.Delphi Nr.12147474
97152292	60	1	19718253	ST-Kont. Ducon 6,3 (4-6)	tab-cont. Ducon 6,3 (4-6)	2	PC	
97152292	60	2						Fa. Delphi Nr. 15344631
97152292	70	1	19718261	Leitungsdichtung BL (3,6-4,5) Ducon 6.3	wire seal BL (3,6-4,5) Ducon 6.3	4	PC	
97152292	70	2						Fa. Delphi Nr. 15324996
97152292	80	1	19719459	ST-Gehäuse 2-pol Ducon 6,3	male-housing 2-pole Ducon 6,3	1	PC	
97152292	80	2						Fa. Delphi Nr. 15344054
97152292	90	1	19719467	BU-Gehäuse 2-pol Ducon 6,3	female-housing 2-pole Ducon 6,3	1	PC	
97152292	90	2						Fa. Delphi Nr. 12147067
97152292	100	1	19721059	Stoßverbinder 0,5-1 unisoliert	butt connector 0,5-1 not insulated	2	PC	
97152292	100	2						Fa. Lear Nr. 04528.321.011
97152292	110	1	19721174	Buchsenkontakt	bushing contact	5	PC	
97152292	110	2						Fa.Compagnie Deutsch
97152292	110	3						Nr.0462-201-16141 (Einzelkontakt)
97152292	110	4						Nr.1062-16-0622 (Bandware)
97152292	120	1	19724020	Flachstecker 6,3x0,8 (1,5-2,5)	tab-cont. 6,3x0,8 (1,5-2,5)	1	PC	
97152292	120	2						Fa. Lear Nr. 25054.213.111
97152292	130	1	19724053	Flachstecker 6,3x0,8 (0,5-1,0)	tab-cont. 6,3x0,8 (0,5-1,0)	7	PC	
97152292	130	2						Fa. Lear Nr.25297.123.178
97152292	140	1	19725027	BU-Kontakt FASTIN-ON 6,3x0,8 (2,5-4,0)	socket-cont. FASTIN-ON 6,3x0,8 (2,5-4,0)	2	PC	
97152292	140	2						Fa. Lear Nr.: 25987.201.011
97152292	140	3						oder
97152292	140	4						Fa. Lear Nr.: 25987.123.211
97152292	140	5						
97152292	150	1	19725035	BU-Kont. Pos. Lock 6,3x0,8 (0,5-1,5)	socket-cont. Pos. Lock 6,3x0,8 (0,5-1,5)	3	PC	
97152292	150	2						Fa. AMP Nr. 160759-1
97152292	160	1	19725076	BU-Kont. FASTIN-ON 6,3x0,8 (4,0-6,0)	socket-cont. FASTIN-ON 6,3x0,8 (4,0-6,0)	3	PC	
97152292	160	2						Fa. Lear Nr. 25997.201.011
97152292	170	1	19725084	BU-Kont. FASTIN-ON 6,3x0,8 (1,5-2,5)	socket-cont. FASTIN-ON 6,3x0,8 (1,5-2,5)	19	PC	
97152292	170	2						Fa. Lear Nr. 25985.201.011
97152292	180	1	19725159	BU-Kont. DFK 2 (1,5-2,5)	socket-cont. DFK 2 (1,5-2,5)	47	PC	
97152292	180	2						Fa. Littelfuse Nr. 178.6116.2502
97152292	180	3						Fa. GHW Nr. 26472.331.179
97152292	190	1	19725175	BU-Kont. JP Timer (0,5-1,0)	socket-cont. JP Timer (0,5-1,0)	9	PC	
97152292	190	2						Fa. AMP Nr. 927775-3

Material: 97152292 wire harness W5
 Index: 01
 Change Number: 4105-09

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97152292	200	1	19725183	BU-Kont. JP Timer (>1,0-2,5)	socket-cont. JP Timer (>1,0-2,5)	1	PC	
97152292	200	2						Fa. AMP Nr. 927768-3
97152292	210	1	19725191	BU-Kont. DFK 2 (2,5-4,0)	socket-cont. DFK 2 (2,5-4,0)	2	PC	
97152292	210	2						Fa. Littelfuse Nr. 178.6116.4002
97152292	210	3						Fa. GHW Nr. 26473.331.179
97152292	220	1	19725241	Bu-Kont. FASTIN-ON 6,3x0,8 (0,5-1,0)	socket-cont. FASTIN-ON 6,3x0,8 (0,5-1,0)	25	PC	
97152292	220	2						Fa. Lear Nr. 25969.201.011
97152292	220	3						oder
97152292	220	4						Fa. AMP Nr. 5-160558-2
97152292	230	1	19725282	BU-Kont. Mini Fit Plus (0,5-1,00)	socket-cont. Mini Fit Plus (0,5-1,00)	56	PC	
97152292	230	2						LV: Walter Kluxen GmbH 4000 Stück/Lieferantengebinde (Rolle) -
97152292	230	3						Kanban-
97152292	230	4						Teil Artikelkurzauftrag vorh.
97152292	230	5						
97152292	230	6						
97152292	230	7						Fa. Molex Nr. 45750-1111
97152292	240	1	19725415	BU-Kont. Metri-Pack 150 (0,35-0,5)	socket-cont. Metri-Pack 150 (0,35-0,5)	9	PC	
97152292	240	2						Fa. Delphi Nr. 12129373
97152292	250	1	19725423	ST-Kont. Molex Mini Fit Plus (1,5)	male-cont. Mini Fit Plus (1,5)	7	PC	
97152292	250	2						Fa. Molex Nr. 46012-3141
97152292	260	1	19725456	BU-Kont. DFK 2 (0,5-1,0)	socket-cont. DFK 2 (0,5-1,0)	30	PC	
97152292	260	2						Fa. Littelfuse Nr. 178.6116.100
97152292	260	3						Fa. GHW Nr. 26471.331.179
97152292	270	1	19725464	BU-Kont. DFK 2 (4,0-6,0)	socket-cont. DFK 2 (4,0-6,0)	1	PC	
97152292	270	2						Fa. Grothe&Hartmann 26474.331.179
97152292	280	1	19725480	ST-Kont. Mini-Fit Plus (0,5-1,00)	tab-cont. Mini-Fit Plus (0,5-1,00)	115	PC	
97152292	280	2						Fa. Molex Nr. 46012-1141
97152292	300	1	19726298	Aderendkralle 0,5-1,0	lead end lug 0,5-1,0	6	PC	
97152292	300	2						DIN 46228-D1-6-MS-S
97152292	300	3						Fa. G+H Nr. 25787.123.178
97152292	300	4						VE 100000
97152292	310	1	19729011	Stiftgehäuse Mini-fit Jr. 22pol.	male-housing Mini-fit Jr. 22pol.	2	PC	
97152292	310	2						Fa. Molex Nr. 39-01-2221
97152292	320	1	19729029	Stiftgehäuse Mini-fit Jr. 24pol.	male-housing Mini-fit Jr. 24pol.	1	PC	
97152292	320	2						Fa. Molex Nr. 39-01-2241
97152292	330	1	19729037	BU-Gehäuse 6-pol FASTIN-ON 6.3	female-housing 6-pole FASTIN-ON 6.3	3	PC	
97152292	330	2						Fa. Lear Nr. 16110 563 696
97152292	340	1	19729052	ST-Gehäuse 6-pol FASTIN-ON 6.3	male-housing 8-pole FASTIN-ON 6.3	1	PC	
97152292	340	2						Fa. Püplichhusen Nr. 97424 635 501
97152292	350	1	19729276	BU-Gehäuse 16-pol Mini-Fit Jr.	female-housing 16-pole Mini-Fit Jr.	1	PC	
97152292	350	2						Fa. Molex Nr. 39-01-2160
97152292	360	1	19729300	Socket-Gehäuse 9-pol für Mini-Relais	socket-housing 9-pole for Mini-relais	2	PC	
97152292	360	2						Fa. Hella Nr. 8JA003.526-002
97152292	370	1	19729409	ST-Gehäuse 16-pol Mini-Fit Jr.	male-housing 16-pole Mini-Fit Jr.	1	PC	
97152292	370	2						Fa. Molex Nr. 39-01-2161

Material: 97152292 wire harness W5
 Index: 01
 Change Number: 4105-09

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97152292	380	1	19729508	BU-Gehäuse 24-pol Mini-Fit Jr.	female-housing 24-pole Mini-Fit Jr.	1	PC	
97152292	380	2						Fa. Molex Nr. 39-01-2240
97152292	390	1	19729516	Buchsengehäuse 6pol. DT06-6S-EP04	bush housing 6pol. DT06-6S-EP04	1	PC	
97152292	390	2						Hr. Richter
97152292	390	3						Fa. Deutsch Nr. DT06-6S-EP04
97152292	400	1	19729524	Arretierung für Buchsengehäuse 6pol. W6S	lock for bush housing 6pol. W6S	1	PC	
97152292	400	2						Fa. Deutsch Nr. W6S
97152292	410	1	19729532	Blindstopfen 114017	plug 114017	1	PC	
97152292	410	2						Fa. Deutsch Nr. 114017
97152292	420	1	19729805	Socket-Gehäuse 2x5-pol für Micro Relais	socket-housing 2x5-pole for Micro relais	2	PC	
97152292	420	2						Fa. Lear Nr. 17693.000.000
97152292	430	1	19729821	BU-Gehäuse 2-pol Mini-Fit Jr.	female-housing 2-pole Mini-Fit Jr.	1	PC	
97152292	430	2						Fa. Molex Nr. 39-01-3022
97152292	440	1	19729847	BU-Gehäuse 6-pol Mini-Fit Jr.	female-housing 6-pole Mini-Fit Jr.	1	PC	
97152292	440	2						Fa. Molex Nr. 39-01-2060
97152292	450	1	19729862	BU-Gehäuse 18-pol Mini-Fit Jr.	female-housing 18-pole Mini-Fit Jr.	1	PC	
97152292	450	2						Fa. Molex Nr. 39-01-2180
97152292	460	1	19730134	Stiftgehäuse Mini-fit Jr. 20pol.	male-housing Mini-fit Jr. 20pol	1	PC	
97152292	460	2						Fa. Molex Nr. 39-01-2201
97152292	470	1	19730159	Buchsengehäuse 16pol. OBDII	male-housing 16-pole OBDII	1	PC	
97152292	470	2						Fa. Delphi Nr. 12110250
97152292	480	1	19730167	Verriegelung für Buchsengehäuse 16pol. OBDII	terminal locking for 16 pole OBDII	2	PC	
97152292	480	2						Fa. Delphi Nr. 12160437
97152292	480	3						2St.pro Gehäuse 19730159 / 2pc for housing 19730159
97152292	490	1	19730217	Stiftgehäuse Mini-fit Jr. 2pol.	pin housing	1	PC	
97152292	490	2						Molex 39-01-2021
97152292	500	1	19730225	Stiftgehäuse Mini-fit Jr. 6pol.	male-housing 6-pole Mini-Fit Jr.	1	PC	
97152292	500	2						Fa. Molex Nr. 39-01-2061
97152292	510	1	19730266	Stiftgehäuse Mini-fit Jr. 14pol.	socket housing Mini-fit Jr. 14pol.	1	PC	
97152292	510	2						Fa. Molex Nr. 39-01-2141
97152292	520	1	19730308	ST-Gehäuse 10-pol Mini-Fit Jr.	male-housing 10-pole Mini Fit Jr.	1	PC	
97152292	520	2						Fa. Molex Nr. 39-01-2101
97152292	540	1	19731058	Sicherungseinsatz DIN 72581-C20A	fuse link	2	PC	
97152292	550	1	19731066	Sicherungseinsatz DIN 72581-C7,5A	fuse link DIN 72581-C7,5A	4	PC	
97152292	560	1	19731082	Sicherungseinsatz DIN 72581-C10A	fuse link	9	PC	
97152292	570	1	19731090	Sicherungseinsatz DIN 72581-C15A	fuse link	10	PC	
97152292	580	1	19731181	Sicherungseinsatz DIN 72581-C5A T3	fuse link	6	PC	
97152292	590	1	19791029	BU-Gehäuse 1-pol Positive Lock	female-housing 1-pole Positive Lock	3	PC	
97152292	590	2						Fa. AMP Nr. 154719-0
97152292	600	1	19791037	ST-Gehäuse 1-pol FASTIN-ON 6,3	male-housing 1-pole FASTIN-ON 6,3	1	PC	
97152292	600	2						Fa. AMP Nr. 180916-0
97152292	610	1	19791177	BU-Gehäuse 3-pol FASTIN-ON 6,3	female-housing 3-pole FASTIN-ON 6,3	1	PC	
97152292	610	2						Fa. AMP Nr. 180941-0
97152292	620	1	25743022	Gewebeband 9mm schwarz	textile tape 9mm black	6,53	M	
97152292	620	2						Fa. Beiersdorf AG

Material: 97152292 wire harness W5
 Index: 01
 Change Number: 4105-09

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97152292	620	3						Nr.4545-04-33 AF 18 PV 7
97152292	620	4						umgestellt aus Qualitätsgründen auf
97152292	620	5						Coroplast 8110
97152292	630	1	25855024	Isolierschl. DIN 40621 B8x0,7 sw	insulating tube	0,67	M	
97152292	640	1	25856014	Schrumpfsch. 4,5x1-PE 3:1 trans.m.Kleber	heat shrink tube 4,5x1-PE 3:1 tran.glu	0,8	M	
97152292	640	2						Fa. Thulesius Nr. Z85527
97152292	640	3						Meterware
97152292	650	1	25856030	Schrumpfsch. 9x1,2-PE 3:1 trans.m.Kleber	heat shrink tube 9x1,2-PE 3:1 tran.glu	0,2	M	
97152292	650	2						Fa. Tulesius Nr. Z85529
97152292	650	3						Meterware
97152292	660	1	25856048	Schrumpfschlauch 3,2x0,5-PVC 2:1 sw	heat shrink tube 3,2x0,5-PVC 2:1 black	0,09	M	
97152292	660	2						Fa. Thulesius Nr.Z85951
97152292	670	1	25856113	Schrumpfschlauch 4,8x0,5-PVC 2:1 sw	heat shrink tube 4,8x0,5-PVC 2:1 black	0,04	M	
97152292	670	2						Fa. Thulesius Nr.Z85952
97152292	680	1	25856261	Schrumpfsch. 4,5x1-PE 3:1 trans.m.Kleber	heat shrink tube 4,5x1-PE 3:1 tran.glu	3	PC	
97152292	680	2						Fa. Thulesius Nr. Z85527 80mm lang
97152292	690	1	26210112	PVC-Fahrzeugleitung FLRY-B 1x2,5 weiss	PVC-automotive cable FLRY-B 1x2,5 white	4,5	M	
97152292	690	2						Fa. NKT Art.: AP040025BNNNNAN
97152292	690	3						
97152292	690	4						DIN 72551 / ISO6722 FLRY-B
97152292	700	1	26210245	PVC-Fahrzeugleitung FLRY-B 1x1 weiss	PVC-automotive cable FLRY-B 1x1 white	20,87	M	
97152292	700	2						Fa. NKT Art.: AP040010BNNNNAN
97152292	700	3						
97152292	700	4						DIN 72551 / ISO6722 FLRY-B
97152292	710	1	26210252	PVC-Fahrzeugleitung FLRY-B 1x1,5 weiss	PVC-automotive cable FLRY-B 1x1,5 white	19,46	M	
97152292	710	2						Fa. NKT Art.: AP040015BNNNNAN
97152292	710	3						
97152292	710	4						DIN 72551 / ISO6722 FLRY-B
97152292	720	1	26210260	PVC-Fahrzeugleitung FLRY-B 1x4 weiss	PVC-automotive cable FLRY-B 1x4 white	0,26	M	
97152292	720	2						Fa. NKT Art.: AP040040BNNNNAN
97152292	720	3						
97152292	720	4						DIN 72551 / ISO6722 FLRY-B
97152292	730	1	26210278	PVC-Fahrzeugleitung FLRY-B 1x0,5 weiss	PVC-automotive cable FLRY-B 1x0,5 white	80,2	M	
97152292	730	2						Fa. NKT Art.: AP040005BNNNNAN
97152292	730	3						
97152292	730	4						DIN 72551 / ISO6722 FLRY-B
97152292	740	1	26210294	PVC-Fahrzeugleitung FLRY-B 1x6,0 weiss	PVC-automotive cable FLRY-B 1x6,0 white	4,14	M	
97152292	740	2						Fa. NKT Art.: AP040060BNNNNAN
97152292	740	3						
97152292	740	4						DIN 72551 / ISO6722 FLRY-B
97152292	750	1	90011750	PLASTIKBEUTEL L=260; B=180; D=0,1	PLASTIKBEUTEL L=260; B=180; D=0,1	1	PC	
97152292	760	1	90194879	Diode	diode	1	PC	
97152292	760	2						LV: Walter Kluxen GmbH 5000 Stück/Lieferantengebinde (KLT 4321) -
97152292	760	3						Kanban-Teil Artikelkurzauftrag vorh.
97152292	760	4						

Material: 97152292 wire harness W5
 Index: 01
 Change Number: 4105-09

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97152292	760	5						
97152292	760	6						Fa.Motorola Nr.1N4007
97152292	770	1	90266925	Widerstand 120R	resistor 120R	1	PC	
97152292	770	2						IEC-Reihe E24
97152292	780	1	90435256	Steckhülsegehäuse Zündschalter 6-pol.	housing 6-pole	1	PC	
97152292	780	2						Fa.COBO Nr.30.16.0657101
97152292	790	1	97152920	Sicherungspaket, kpl		1	PC	
97152292	800	1	19724129	Stiftkontakt Micro-fit 3.0 (0,2-0,5)		7	PC	
97152292	800	2						Molex 43031-0001
97152292	810	1	19730530	ST-Gehäuse Micro-fit 3.0 8 pol.	male housing Micro-fit 3.0 8 pol.	1	PC	
97152292	810	2						Fa. Molex Nr.43020-0800