



Montagehinweis siehe Blatt 2
assembly instructions see page 2






Toleranzen / tolerances		
0 - 100 mm	-0/+10 mm	
101 - 500 mm	-10/+10 mm	
501 - 2000 mm	-10/+20 mm	
> 2000 mm	-10/+30 mm	

The tolerances are made for individual measurements and for the sum of several measurement



X90 zusammenstecken




Fortsetzung "A"
siehe Blatt 2!

W21






All parts have to be in conformity to IEC 60335-1/-2-72
All housings have to be labeled with device tags

0 Integrated acc. 4100-04 10.05.19 DK				2019 Date Name Cilymaster 1650				Name			
No. Number appears change No. Date Name Standard				Drawn by Verified Change No.				Replacem. for 97132419			
Kabelbaum W21 (Kehreinheit 3. Besen)								Drawing Number 97158760			
For this drawing we reserve all rights (acc. DIN ISO 16016)								KABI 472 Type 1431 Dep. DS No. of Sh. 5 Sheet 1			



- 90114810
- 19730708
- 19730690
- 19730682

82	19718469	A4034	2	0.5	10	19718469
83	19718469	A4035	2	0.5	10	19718469
84	19718469	A4044	2	0.5	10	19718469
85	19718469	A4045	2	0.5	10	19718469
86	19718469	A4045	2	0.5	10	19718469
87	19718469	A4045	2	0.5	10	19718469
88	19718469	A4045	2	0.5	10	19718469
89	19718469	A4045	2	0.5	10	19718469
90	19718469	A4045	2	0.5	10	19718469
91	19718469	A4045	2	0.5	10	19718469
92	19718469	A4045	2	0.5	10	19718469
93	19718469	A4045	2	0.5	10	19718469
94	19718469	A4045	2	0.5	10	19718469
95	19718469	A4045	2	0.5	10	19718469
96	19718469	A4045	2	0.5	10	19718469
97	19718469	A4045	2	0.5	10	19718469
98	19718469	A4045	2	0.5	10	19718469
99	19718469	A4045	2	0.5	10	19718469
100	19718469	A4045	2	0.5	10	19718469
101	19718469	A4045	2	0.5	10	19718469
102	19718469	A4045	2	0.5	10	19718469
103	19718469	A4045	2	0.5	10	19718469
104	19718469	A4045	2	0.5	10	19718469
105	19718469	A4045	2	0.5	10	19718469
106	19718469	A4045	2	0.5	10	19718469
107	19718469	A4045	2	0.5	10	19718469
108	19718469	A4045	2	0.5	10	19718469
109	19718469	A4045	2	0.5	10	19718469
110	19718469	A4045	2	0.5	10	19718469
111	19718469	A4045	2	0.5	10	19718469
112	19718469	A4045	2	0.5	10	19718469
113	19718469	A4045	2	0.5	10	19718469
114	19718469	A4045	2	0.5	10	19718469
115	19718469	A4045	2	0.5	10	19718469
116	19718469	A4045	2	0.5	10	19718469
117	19718469	A4045	2	0.5	10	19718469
118	19718469	A4045	2	0.5	10	19718469
119	19718469	A4045	2	0.5	10	19718469
120	19718469	A4045	2	0.5	10	19718469



Rückseite des Steckers mit Terostat-92 abdichten
 Plugging the rear side of the connector with Terostat-92



Kette der Schutzkappe mit Schlüsselring verbinden
 Connect chain of the protection cap with key ring

Step 10 Assembly back shell

Table 3

Size	Torque=T1 (N.m)
10	1.5-2.5 N.m
12	2.5-4.0 N.m
14	2.5-4.0 N.m
16	3.0-4.5 N.m
18	3.0-4.5 N.m

Table 4

Size	Torque=T2 (N.m)
10	2.0-3.0 N.m
12	3.0-5.0 N.m
14	3.5-5.5 N.m
16	4.0-6.0 N.m
18	5.0-8.0 N.m

Step 13 Assembly metal nut




Schirmring wird nicht benötigt (Lieferumfang 19730621)
 Shielding ring is not required (supplied 19730621)

Toleranzen / tolerances


0 - 100 mm	-0/+10 mm
101 - 500 mm	-10/+10 mm
501 - 2000 mm	-10/+20 mm
> 2000 mm	-10/+30 mm

The tolerances are made for individual measurements and for the sum of several measurement




cutting list-No. : 97158760		cutting list Kabelbaum W21 (Kehreinheit 3. Besen)								
------------------------------------	--	--	--	--	--	--	--	--	--	--

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A1503	30	19721414		X63D/D	26210310	0,75	1450	WH	A08/1/78	19725589	
A1525	30	USSP4.75		XS61/1	26210112	2,5	1505	WH	X66A/A	19721398	
A1525	32	-		XS61/2	26210310	0,75	300	WH	A08/1/3	19720200	19719863
A1525	31	^		XS61/2	26210310	0,75	300	WH	A08/1/1	19720200	19719863
A1525	33	^		XS61/2	26210310	0,75	300	WH	A08/1/5	19720200	19719863
A1526	30	USSP4.75		XS69/1	26210112	2,5	920	WH	X66A/C	19721398	
A1526	32	-		XS69/2	26210310	0,75	1055	WH	A08/2/119	19720200	19719863
A1526	31	^		XS69/2	26210310	0,75	1055	WH	A08/2/116	19720200	19719863
A1526	33	^		XS69/2	26210310	0,75	1055	WH	A08/2/121	19720200	19719863
A1701	30	19721414		X63D/B	26210310	0,75	1480	WH	A08/1/26	19725589	
A1702	30	19721414		X63D/C	26210310	0,75	1480	WH	A08/1/7	19725589	
A3022	30	19721414		X66A/E	26210310	0,75	1830	WH	A08/1/64	19725589	
A3100	30	19721398		X66A/B	26210112	2,5	1655	WH	XS64/2	-	
A3100	32	19720200	19719863	A08/1/2	26210245	1,0	380	WH	XS64/2	^	
A3100	33	19720200	19719863	A08/1/4	26210245	1,0	380	WH	XS64/2	^	
A3100	31	19714062		X45/1	26210252	1,5	485	WH	XS64/1	USSP9.0	
A3100	35	USSP3.75		XS66/1	26210252	1,5	190	WH	XS64/1	^	
A3100	36	USSP4.5		XS67/1	26210252	1,5	190	WH	XS64/1	^	
A3100	34	-		XS65/2	26210245	1,0	460	WH	A08/2/120	19720200	19719863
A3100	46	^		XS65/2	26210245	1,0	460	WH	A08/2/115	19720200	19719863
A3100	37	USSP7.5		XS65/1	26210112	2,5	1515	WH	X66A/D	19721398	
A3100	48	^		XS65/1	26210252	1,5	105	WH	XS73/1	USSP4.5	
A3100	47	^		XS65/1	26210252	1,5	205	WH	XS72/1	USSP4.5	
A3100	50	19725472	19719863	Y42/2	26210310	0,75	610	WH	XS72/1	^	
A3100	51	19725472	19719863	Y43/2	26210310	0,75	675	WH	XS72/1	^	
A3100	52	19721174		Y47/1	26210310	0,75	570	WH	XS72/1	^	
A3100	53	19721174		Y44/1	26210310	0,75	655	WH	XS72/1	^	
A3100	39	-		XS66/2	26210310	0,75	370	WH	Y41/2	19725472	19719863

0	Integrated acc.		4100-04	10.05.19	DK	2019	date	name	Citymaster 1650		Kabelbaum W21 (Kehreinheit 3. Besen)		
	drawn	01.01.				DK	replaced by :97132419						
	check						rev. No. :	Hako GmbH			type : 1491	97158760	num.ofsh.:5
No.	changed wire/Sub-No.	Rev.-No.	date	name	D-23840 Bad Oldesloe	sheets: 3							


cutting list-No. : 97158760		cutting list Kabelbaum W21 (Kehreinheit 3. Besen)								
------------------------------------	--	--	--	--	--	--	--	--	--	--

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A3100	38	^		XS66/2	26210310	0,75	400	WH	Y48/1	19721174	
A3100	41	^		XS66/2	26210310	0,75	420	WH	Y50/1	19721174	
A3100	44	-		XS67/2	26210310	0,75	355	WH	Y40/2	19725472	19719863
A3100	43	^		XS67/2	26210310	0,75	370	WH	Y52/1	19721174	
A3100	42	^		XS67/2	26210310	0,75	405	WH	Y53/1	19721174	
A3100	45	^		XS67/2	26210310	0,75	405	WH	Y51/2	19725472	19719863
A3100	54	19721174		Y46/1	26210310	0,75	355	WH	XS73/2	-	
A3100	55	19721174		Y49/1	26210310	0,75	415	WH	XS73/2	^	
A3100	56	19725472	19719863	Y45/2	26210310	0,75	390	WH	XS73/2	^	
A3100	57	19719160	19719145	Y60/3	26210310	0,75	395	WH	XS73/2	^	
A3102	55	19721414		X63D/L	26210245	1,0	1565	WH	X116/BU/2	19719160	19719145
A3210	30	19721414		X63D/G	26210245	1,0	100	WH	X63D/N	19721414	
A3210	31	19721414		X63D/F	26210245	1,0	100	WH	X63D/P	19721414	
A4032	2	19725472	19719863	Y45/1	26210278	0,5	790	WH	A08/1/8	19725589	
A4033	1	19721174		Y44/2	26210278	0,5	825	WH	A08/1/21	19725589	
A4034	2	19721174		Y46/2	26210278	0,5	905	WH	A08/2/106	19725589	
A4035	2	19721174		Y47/2	26210278	0,5	920	WH	A08/2/107	19725589	
A4041	2	19725472	19719863	Y40/1	26210278	0,5	730	WH	A08/2/112	19725589	
A4042	1	19725472	19719863	Y51/1	26210278	0,5	780	WH	A08/2/111	19725589	
A4043	1	19721174		Y50/2	26210278	0,5	980	WH	A08/1/17	19725589	
A4044	2	19721174		Y53/2	26210278	0,5	790	WH	A08/2/108	19725589	
A4045	2	19721174		Y52/2	26210278	0,5	755	WH	A08/2/109	19725589	
A4053	1	19725472	19719863	Y41/1	26210278	0,5	745	WH	A08/2/113	19725589	
A4056	2	19725472	19719863	Y42/1	26210278	0,5	780	WH	A08/1/24	19725589	
A4057	1	19725472	19719863	Y43/1	26210278	0,5	845	WH	A08/1/43	19725589	
A4058	1	19721174		Y48/2	26210278	0,5	945	WH	A08/1/23	19725589	
A4059	1	19721174		Y49/2	26210278	0,5	785	WH	A08/1/22	19725589	
A4095	1	19719301	19719319	Y60/1	26210278	0,5	780	WH	A08/1/13	19725589	

0	Integrated acc.		4100-04	10.05.19	DK	2019	date	name	Citymaster 1650		Kabelbaum W21 (Kehreinheit 3. Besen)		
	drawn	01.01.				DK	replaced by :97132419						
	check												
No.	changed wire/Sub-No.	Rev.-No.	date	name			rev. No. :		Hako GmbH		type : 1491	97158760	num.ofsh.:5
									D-23840 Bad Oldesloe				sheets: 4

cutting list-No. : 97158760		cutting list Kabelbaum W21 (Kehreinheit 3. Besen)									
------------------------------------	--	--	--	--	--	--	--	--	--	--	--

wire	Sub	part-No. contact 1	part-No.comp.part	marking 1	wire	cr. sec.	length	colour	marking 2	part-No. contact 2	part-No.comp.part
A4096	1	19719301	19719319	Y60/2	26210278	0,5	780	WH	A08/1/14	19725589	
A7230	7	19721414		X63D/J	26210245	1,0	1565	WH	X116/BU/1	19719160	19719145
A9908	1	19719301	19719319	X90/BU/1	26210278	0,5	345	WH	A08/1/80	19725589	
A9908	2	19719293	19719319	X90/ST/1	26210278	0,5	100	WH	X90/ST/2	19719293	19719319
A9908	3	19719301	19719319	X90/BU/2	26210278	0,5	345	WH	A08/1/81	19725589	

0	Integrated acc.	4100-04	10.05.19	DK	2019	date	name	Citymaster 1650		Kabelbaum W21 (Kehreinheit 3. Besen)		
					drawn	01.01.	DK	replaced by :97132419				
					check			rev. No. :		Hako GmbH D-23840 Bad Oldesloe	type : 1491	97158760
No.	changed wire/Sub-No.	Rev.-No.	date	name								

Material: 97158760 wiring Harness W21
 Index: 00
 Change Number: 4100-04

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97158760	10	1	15592041	Schutzkappe 1000/1072 SW	protective cap		2	PC
97158760	20	1	19714062	Ringkabelschuh ähn. DIN 46225 A6-2,5	ring term. similar DIN 46225 A6-2,5		1	PC
97158760	20	2						Fa. Lear Nr. 25219.123.322
97158760	30	1	19718469	Dichtstopfen für MQS Gehäuse	cavity plug for MQS		86	PC
97158760	30	2						Fa.Tyco Nr. 936054-1
97158760	40	1	19719145	Dichtung GE (1,8-2,4) Superseal 1,5 SRS	wire seal YE (1,8-2,4) Superseal 1,5 SRS		3	PC
97158760	40	2						Fa. AMP Nr. 281934-2
97158760	50	1	19719160	BU-Kont. Superseal 1,5 SRS (0,75-1,5)	socket-con. Superseal 1,5 SRS (0,75-1,5)		3	PC
97158760	50	2						Fa. AMP Nr. 282110-1
97158760	60	1	19719194	BU-Gehäuse 3-pol Superseal 1,5 SRS	female-housing 3-pole Superseal 1,5 SRS		1	PC
97158760	60	2						Fa. AMP Nr. 282087-1
97158760	70	1	19719293	ST-Kont. Superseal 1,5 SRS (0,3-0,6)	tab-cont. Superseal 1,5 SRS (0,3-0,6)		2	PC
97158760	70	2						Fa. AMP Nr. 282404-1
97158760	80	1	19719301	BU-Kont. Superseal 1,5 SRS (0,3-0,6)	socket-con. Superseal 1,5 SRS (0,3-0,6)		4	PC
97158760	80	2						Fa. AMP Nr.282403-1
97158760	90	1	19719319	Dichtung GN (1,4-1,7) Superseal 1,5 SRS	wire seal GN (1,4-1,7) Superseal 1,5 SRS		6	PC
97158760	90	2						Fa. AMP Nr. 281934-4
97158760	100	1	19719368	BU-Gehäuse 2-pol Superseal 1,5 SRS	female-housing 2-pole Superseal 1,5 SRS		2	PC
97158760	100	2						Fa. AMP Nr. 282080-1
97158760	110	1	19719384	Steckergehäuse 2-polig JPT	plug body 2-pole JPT		6	PC
97158760	110	2						B.-Nr. 963040(-3) bzw. 346305(-3)
97158760	110	3						Fa. AMP Timer Steckverbinder
97158760	120	1	19719517	ST-Gehäuse 2-pol Superseal 1,5 SRS	male-housing 2-pole Superseal 1,5 SRS		1	PC
97158760	120	2						Fa. AMP Nr. 282104-1
97158760	130	1	19719707	Blindstopfen JPT	cavity plug for JPT		3	PC
97158760	130	2						Fa. Tyco Nr. 828922-1
97158760	140	1	19719863	JPT Dichtung blau	JPT sealing blue		22	PC
97158760	140	2						Fa.AMP Nr.828904-2
97158760	150	1	19720200	BU-Kontakt JPT Typ A (0,5-1,0)	socket-cont. JPT type A (0,5-1,0)		10	PC
97158760	150	2						Fa. Tyco Nr. 964286-2 (Bandware)
97158760	150	3						Fa. Tyco Nr. 964285-2 (Einzelkontakt)
97158760	160	1	19721174	Buchsenkontakt	bushing contact		16	PC
97158760	160	2						Fa.Compagnie Deutsch
97158760	160	3						Nr.0462-201-16141 (Einzelkontakt)
97158760	160	4						Nr.1062-16-0622 (Bandware)
97158760	170	1	19721398	ST-Kont. RT 2,5mm (2,5-3,5)	tab-cont. RT 2,5mm (2,5-3,5)		4	PC
97158760	170	2						Fa. Amphenol Nr. SP12A1T
97158760	180	1	19721414	ST-Kont. RT 1,6mm (0,75-1,5)	tab-cont. RT 1,6mm (0,75-1,5)		10	PC
97158760	180	2						Fa.Amphenol Nr. SP16M1G10
97158760	190	1	19725472	BU-Kont. JP Timer m. D. (0,5-1,0)	socket-cont. JP Timer sealed (0,5-1,0)		12	PC
97158760	190	2						Fa. AMP Nr. 929939-3
97158760	200	1	19725589	BU-Kontakt MQS Clean Body (0,5-0,75)	socket-cont. MQS Clean Body (0,5-0,75)		22	PC
97158760	200	2						Fa.Tyco Nr.968221-1 (Bandware)
97158760	210	1	19729763	BU-Gehäuse 2-pol DT06-2S-CE06	female-housing 2-pole DT06-2S-CE06		8	PC
97158760	210	2						Fa. Compagnie Deutsch Nr. DT06-2S-CE06
97158760	220	1	19729771	Arretierung W2S für DT06-2S	interlock W2S for DT06-2S		8	PC
97158760	220	2						Fa. Compagnie Deutsch Nr. W2S-P012
97158760	230	1	19730597	Stecker für Stiftkontakt 9-pol.	socket for pin contact 9-pole		1	PC

Material: 97158760 wiring Harness W21
 Index: 00
 Change Number: 4100-04

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97158760	230	2						Fa. Amphenol Nr.:RT061609PNH-Ni
97158760	240	1	19730613	Stecker für Stiftkontakt 19pol.	socket for pin contact 19-pole	1	PC	
97158760	240	2						Fa. Amphenol Nr. RT061619PNH-Ni
97158760	250	1	19730621	Endgehäuse m.Kabelverschraubung	cord grip, shell size 16	2	PC	
97158760	250	2						Fa.Amphenol Nr. RT0L-16CG-S1-Ni
97158760	260	1	19730639	Staubschutzkappe Stecker	plug dust cap	2	PC	
97158760	260	2						Fa.Amphenol Nr.RT616DCG-15-Ni
97158760	270	1	19730658	BU-Gehäuse 81pol. (Kontaktträger)	female-housing 81pol. (contact housing)	1	PC	
97158760	270	2						Fa. Tyco Nr. 1473244-1
97158760	280	1	19730666	Deckel vormontiert 81pol. TYP A	cover preassembled 81pol. type A	1	PC	
97158760	280	2						Fa.Tyco Nr. 1473247-1
97158760	290	1	19730674	Sekundärverriegelung für 81pol. Gehäuse	retainer for 81pol. plug	1	PC	
97158760	290	2						Fa.Tyco Nr. 368382-1
97158760	300	1	19730682	BU-Gehäuse 40pol. (Kontaktträger)	female-housing 40pol. (contact housing)	1	PC	
97158760	300	2						Fa.Tyco Nr. 1473252-1
97158760	310	1	19730690	Deckel vormontiert 40pol. TYP A	cover preassembled 40pol. type A	1	PC	
97158760	310	2						Fa.Tyco Nr. 1473255-1
97158760	320	1	19730708	Sekundärverriegelung für 40pol. Gehäuse	retainer for 40-pole plug	1	PC	
97158760	320	2						Fa.Tyco Nr. 368388-1
97158760	330	1	25856014	Schrumpfsch. 4,5x1-PE 3:1 trans.m.Kleber	heat shrink tube 4,5x1-PE 3:1 tran.glu	0,28	M	
97158760	330	2						Fa. Thulesius Nr. Z85527
97158760	330	3						Meterware
97158760	340	1	25856030	Schrumpfsch. 9x1,2-PE 3:1 trans.m.Kleber	heat shrink tube 9x1,2-PE 3:1 tran.glu	0,04	M	
97158760	340	2						Fa. Tulesius Nr. Z85529
97158760	340	3						Meterware
97158760	350	1	25856212	Schrumpfschlauch 12,7x0,6-PVC 2:1 rt	heat shrink tube 12,7x0,6-PVC 2:1 red	0,2	M	
97158760	350	2						Fa. Thulesius Nr. Z85892
97158760	360	1	25857020	Wellschlauch NW4,5 PPmod UFW geschlitzt	Corrugated tube NW4,5 PPmod UFW slit	3,69	M	
97158760	360	2						Fa. Schlemmer Nr. 1949304
97158760	370	1	25857210	Wellschlauch geschlossen NW10 flexibel	corrugated tube NW10	0,65	M	
97158760	370	2						LV: Stöhrmann GmbH <(><> Co. KG 50 Meter/Lieferantengebinde (GB 20)
97158760	370	3						-
97158760	370	4						Kanban-Teil Artikelkurzauftrag vorh.
97158760	370	5						
97158760	370	6						
97158760	370	7						Fa.Reiku Nr.PARRB-10F
97158760	380	1	25857244	Wellschlauch geschlossen NW13	corrugated tube NW13	0,86	M	
97158760	380	2						Wellschlauch PA6 Normalprofil schwarz
97158760	380	3						Fa.Schlemmer 1200135 (50m), Nr.1200813 (2000m)
97158760	390	1	25857384	Wellschlauch NW10 PPmod UFW ungeschl.	Corrugated tube NW10 PPmod UFW unslit	0,2	M	
97158760	390	2						Fa. Schlemmer Nr. 1949210
97158760	400	1	25857392	Wellschlauch NW13 PPmod UFW ungeschl.	Corrugated tube NW13 PPmod UFW unslit	0,54	M	
97158760	400	2						Fa. Schlemmer Nr. 1949213
97158760	410	1	25857400	Wellschlauch NW17 PPmod UFW ungeschl.	Corrugated tube NW17 PPmod UFW unslit	0,04	M	
97158760	410	2						Fa. Schlemmer Nr. 1949217
97158760	420	1	26210112	PVC-Fahrzeugleitung FLRY-B 1x2,5 weiss	PVC-automotive cable FLRY-B 1x2,5 white	5,6	M	
97158760	420	2						Fa. NKT Art.: AP040025BNNNNAN
97158760	420	3						

Material: 97158760 wiring Harness W21
 Index: 00
 Change Number: 4100-04

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97158760	420	4						DIN 72551 / ISO6722 FLRY-B
97158760	430	1	26210245	PVC-Fahrzeugleitung FLRY-B 1x1 weiss	PVC-automotive cable FLRY-B 1x1 white	5,01	M	
97158760	430	2						Fa. NKT Art.: AP040010BNNNNAN
97158760	430	3						
97158760	430	4						DIN 72551 / ISO6722 FLRY-B
97158760	440	1	26210252	PVC-Fahrzeugleitung FLRY-B 1x1,5 weiss	PVC-automotive cable FLRY-B 1x1,5 white	1,18	M	
97158760	440	2						Fa. NKT Art.: AP040015BNNNNAN
97158760	440	3						
97158760	440	4						DIN 72551 / ISO6722 FLRY-B
97158760	450	1	26210278	PVC-Fahrzeugleitung FLRY-B 1x0,5 weiss	PVC-automotive cable FLRY-B 1x0,5 white	13,92	M	
97158760	450	2						Fa. NKT Art.: AP040005BNNNNAN
97158760	450	3						
97158760	450	4						DIN 72551 / ISO6722 FLRY-B
97158760	460	1	26210310	PVC-Fahrzeugleitung FLRY-B 1x0,75 weiss	PVC-automotive cable FLRY-B 1x0,75 white	17,1	M	
97158760	460	2						Fa. NKT Art.: AP040007BNNNNAN
97158760	460	3						
97158760	460	4						DIN 72551 / ISO6722 FLRY-B
97158760	470	1	28980068	Terostat 92 schwarz	sealing compound	1	PC	
97158760	470	2						Fa. Henkel 310MI
97158760	470	3						Zu verarbeiten mit Reiniger 28420594
97158760	480	1	90040023	Schlüsselring 26,5x22x1,9	key ring	2	PC	
97158760	490	1	90114414	Kabelbinder 92x2,4mm natur	cable tie 92x2,4mm natural-colored	1	PC	
97158760	490	2						LV: Hillmann <(>&<)> Ploog (GmbH <(>&<)> Co.) KG 6000
97158760	490	3						Stück/Lieferantengebinde
97158760	490	4						(KLT 4321) - Kanban-Teil Artikelkurzauftrag vorh.
97158760	490	5						
97158760	490	6						
97158760	490	7						Fa. Thomas u. Betts Nr. TY 523 MR
97158760	500	1	90114810	Kabelbinder T25L 2,8x240-PA66-natur	cable tie T25L 2,8x240-PA66-natur	2	PC	
97158760	500	2						LV: Hillmann <(>&<)> Ploog (GmbH <(>&<)> Co.) KG 5000
97158760	500	3						Stück/Lieferantengebinde
97158760	500	4						(KLT 4321) - Kanban-Teil Artikelkurzauftrag vorh.
97158760	500	5						
97158760	500	6						
97158760	500	7						Fa. Hellermann Tyton 111-02519
97158760	510	1	90471012	Verteiler 17-8x4,5-13		2	PC	
97158760	510	2						Schlemmer 9817095
97158760	520	1	90471046	Einlegereduzierung 10-4,5	reducer	9	PC	
97158760	520	2						Schlemmer 7807272
97158760	530	1	90471053	Schutzkappe JPT2-NW4,5	protection cap JPT2-NW4,5	4	PC	
97158760	530	2						Schutzkappe AMP2-JPT-B-NW4,5-45
97158760	530	3						Fa.Schlemmer Nr.7807075
97158760	540	1	90471061	Schutzkappe Superseal-NW4,5	protection cap Superseal-NW4,5	2	PC	
97158760	540	2						Schutzkappe AMP2-SS-A-NW4,5
97158760	540	3						Fa.Schlemmer Nr.7807192
97158760	550	1	90471079	T-Verteiler 13-10-13		2	PC	
97158760	550	2						Schlemmer 9806101
97158760	560	1	90496738	Endkappe DT06-2S 90 Grad		8	PC	

Material: 97158760 wiring Harness W21
 Index: 00
 Change Number: 4100-04

Material	Item	Line	Component	Object description	Material Description	Comp. Qty (CUn)	Un	Internal Comment
97158760	560	2						Compagnie Deutsch 61031-26
97158760	570	1	90524414	T-Verteiler 17-13-13	T-junction 17-13-13	2	PC	
97158760	570	2						Fa.Schlemmer Nr.9806166
97158760	580	1	90636895	Einlegereduzierung 13-10	Reducer 13-10	1	PC	
97158760	580	2						Fa. Schlemmer Nr. 7807280
97158760	580	3						
97158760	590	1	90636911	Einlegereduzierung 17-13	reducer 17-13	3	PC	
97158760	590	2						Fa. Schlemmer Nr. 7807283
97158760	590	3						
97158760	600	1	90638271	Y-Verteiler 17-10-17	Y- junction 17-10-17	1	PC	
97158760	600	2						Fa.Schlemmer
97158760	600	3						Nr.9817038
97158760	600	4						
97158760	610	1	90639139	Halter Wellschlauch NW10	retainer	1	PC	
97158760	610	2						Fa. Schlemmer Nr. 9805985
97158760	620	1	90639147	Halter Wellschlauch NW 13	retainer holder corrugated hose	2	PC	
97158760	620	2						Fa. Schlemmer Nr. 9805981
97158760	630	1	90639394	T-Verteiler 13-4,5-13	T-Manifold 13-4,5-13	1	PC	
97158760	630	2						Fa. Schlemmer Nr. 9806173
97158760	640	1	90639618	Wellrohrclips 4,5	clips	1	PC	
97158760	640	2						Fa.Schlemmer
97158760	640	3						Nr.9805935
97158760	650	1	90640491	Schutzkappe Superseal-3-NW4,5	Protection cap Superseal-3-NW4,5	1	PC	
97158760	650	2						Fa.Schlemmer
97158760	650	3						Nr.7807768
97158760	660	1	90646074	Verbindung 90° Winkel NW17	connection 90° angle NW17	1	PC	
97158760	660	2						Fa.Schlemmer
97158760	660	3						
97158760	670	1	90666066	Schutzkappe AMP2-JPT-A-NW4,5	protection cap AMP2-JPT-A-NW4,5	2	PC	
97158760	670	2						Fa.Schlemmer Nr. 7807685
97158760	680	1	97136089	Blindstecker St-Gehäuse Superseal 2pol	dummy plug male-housing Superseal 3-pole	1	PC	

7807400