

# Assembly Manual

**Manual suction tool (7036.40)**

# Introduction

## **Foreword**

This assembly manual may be used only in conjunction with the operating manual of the machine.

## **Safety instructions**

Please observe the general safety regulations of the corresponding machine in the relevant operating manual.

Place the machine on a level surface and secure it with the parking brake.

Switch the machine off and pull out the key.

We would expressly advise you that no legal claims may be asserted based on the contents of this manual. In the case of necessary repair work, please make sure that only original spare parts are used. Only original spare parts guarantee constant and reliable operational readiness of your machine. We reserve the right to make changes in the interests of further technical development.

Valid as from: Juni 2018

**Hako GmbH**  
**23843 Bad Oldesloe, Germany**  
**Hamburger Str. 209-239**  
**Phone +49 4531 806-0**

## 1 Manual suction tool

The *Manual suction tool/mop holder* option is needed for the manual suction tool.

### 1.1 Parts list

- 1 1x wet suction nozzle
- 2 1x crevice nozzle
- 3 2x extension pipes
- 4 1x hand-held pipe, pre-assembled

### 1.2 Assembly

Assemble manual suction tool as shown in illustration and secure to holder.

### 1.3 Operation

1. Move suction hose of machine (Fig. 1/6) to park position.
2. Fit hose of tool into the opening of the vacuum system (Fig. 1/7).

Use the *Tool Operation* button (Fig. 1/8) on the control panel to switch the tool on and off.

Tool operation is only possible if the operator is not sitting on the seat.




Fig. 1



# Advanced Technology for a Cleaner, Better Environment



Hako GmbH · Head Office · Hamburger Str. 209-239 · 23843 Bad Oldesloe · Germany  
Phone +49 4531 806-0 · Fax +49 4531 806-338

88-10-3148 - 3925-00