

Chapter 0: Basic Adju

Chapter	Configuration	Content
0	0	
0	0	4
0	1	
0	1	A
0	2	
0	2	9
0	2	C
0	3	
0	3	0
0	3	1
0	3	2
0	3	3
0	3	4
0	3	5
0	3	6
0	3	7
0	3	8
0	4	
0	4	0
0	6	
0	6	0
0	6	1
0	7	
0	7	0
0	7	1
0	8	
0	8	0
0	8	1

0	8	F

Statements

Description	B400R
Hardware Identification	
Modul Control 36V	d
Machine-Type	
B400R	d
Brush decks	1
Plate brush deck 1230mm	x
Plate brush deck 1550mm	d
LDS Adjustment - Battery-Type	1
Crown w/o Offset	x
Crown	x
GIS, „Foreign“	x
GiS	x
PzS or PzB „Foreign“	x
PzS or PzB	d
GiV	x
PzV	x
AGM - only for Hoppecke batteries	x
Battery charger and Battery types	1
w/o battery charger	d
All wheel drive installed	
only Front wheel drive	d
Front- and Rear wheel drive	x
additional memory at the display (micro SD-card)	
not available	x
available	d
Brand	
Hako	d
Power Boss	x

Specific Brand (SOW)	x